American Journal of Obstetrics and Gynecology

Editors

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., *Emeritus Editor*

Advisory committee on policy

John M. Bissonnette
William Droegemueller
T. Terry Hayashi
John C. Hobbins
Walter S. Keifer
Joseph B. McCoy, Jr.
Edgar L. Makowski
George D. Malkasian
James A. Merrill
Patrick T. Mohide

Board of corresponding editors

Oscar Aguero, *Caracas*
Frederick Kubli, *Heidelberg*
Pierre O. Hubinont, *Brussels*
Malcolm Symonds, *Nottingham*
Ichiro Taki, *Fukuoka*

Volume 146
May-August, 1983
The C. V. Mosby Company
St. Louis
1983

in addition to those listed on the front cover
the Journal is the official publication
of the following societies

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST. LOUIS GYNECOLOGICAL SOCIETY
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNCOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
BOSTON OBSTETRICAL SOCIETY
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS
AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY
THE MINNESOTA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

Volume 146
Copyright © 1983 by The C. V. Mosby Company
(All rights reserved)

Printed in the United States of America

Index to volume 146

Author index*

A

Abboud, Therese K., Noueihed, Rabiah, Khoo, Swee, Hoffman, David I., Varakian, Lucik, Henriksen, Eva, and Goebelsmann, Uwe. Effects of induction of general and regional anesthesia for cesarean section on maternal plasma β-endorphin levels, 927

Abdella, Thomas N. (*see* Sibai et al.), 307

Abramovici, H. (*see* Auslender et al.), 717

Acker, David, Sachs, Benjamin P., Tracey, Kevin J., and Wise, William E. Abruptio placentae associated with cocaine use, 220 (Comm. in brief)

Adcock, Leon L. (*see* Gao et al.), 299

Ahokas, Robert A., Anderson, Garland D., and Lipshitz, Jeffrey. Cardiac output and uteroplacental blood flow in diet-restricted and diet-repleted pregnant rats, 6

Alberts, David S. (*see* Surwit et al.), 613

Allam, Charles (*see* Ataya et al.), 341

Alm, Per (*see* Larsson et al.), 145

Andersen, Richard N. (*see* Wild et al.), 602

Andersen, Willie A. (*see* Peters et al.), 285

Anderson, Craig W. (*see* Cordero, Anderson, and Zuspan), 126

Anderson, Deborah J. (*see* Berkowitz et al.), 221

Anderson, Garland D. (*see* Ahokas, Anderson, and Lipshitz), 6

—(*see* Sibai et al.), 307

Anderson, J. C. (*see* Goodlin, Anderson, and Gallagher), 505

Andrinopoulos, George C., and Mendenhall, Hiram W. Prostaglandin $F_{2\alpha}$ in the management of delayed postpartum hemorrhage, 217 (Comm. in brief)

Arodi, J. (*see* Auslender et al.), 717

Ashikaga, Taka (*see* Gump, Gibson, and Ashikaga), 153

Ashton, Peter W. (*see* Beischer et al.), 662

Ataya, Khalid M., Mudawwar, Fuad, Allam, Charles, and Karam, Karam. Hypergonadotropism with pregnancy, 341 (Comm. in brief)

Auslender, R., Arodi, J., Pascal, B., and Abramovici, H. Interstitial pregnancy: Early diagnosis by ultrasonography, 717 (Comm. in brief)

Austin, J. Max, Jr. (*see* Orr et al.), 882

B

Baer, D. (*see* London et al.), 630

Bagnell, Carol A. (*see* Gambrell et al.), 696

Bain, Robert W., and Crocker, Diane W. Rapid onset of cervical cancer in an upper socioeconomic group, 366

Baker, Carol J. (*see* Larsen et al.), 958

Barnes, Ann B., and Link, David A. Childhood dermatomyositis and pregnancy, 335 (Comm. in brief)

—(*see* Noller et al.), 279

Barr, Kenneth J. (*see* Barr and Barr), 990

Barr, Samuel J., and Barr, Kenneth J. Retroversion and infertility, 990 (Comm. in brief)

Bast, Robert C., Jr. (*see* Berkowitz et al.), 607

Batzer, Frances R., Weiner, Stuart, Corson, Stephen L., Schlaff, Sheldon, and Otis, Chari. Landmarks during the first forty-two days of gestation demonstrated by the β-subunit of human chorionic gonadotropin and ultrasound, 973

Baxi, Laxmi V., Rubeo, Thomas J., Jr., Katz, Bruce, and Harber, Leonard C. Porphyria cutanea tarda and pregnancy, 333 (Comm. in brief)

Beecham, Jackson B. (*see* Helmkamp et al.), 893

Beischer, Norman A., Drew, John H., Ashton, Peter W., Oats, Jeremy N., Gaudry, Eric, Chew, Frank T. K., and Parkinson, Patricia. Quality of survival of infants with critical fetal reserve detected by antenatal cardiotocography, 662

Belizán, José M., Villar, José, Zalazar, Amely, Rojas, Laura, Chan, Daniel, and Bryce, Graeme F. Preliminary evidence of the effect of calcium supplementation on blood pressure in normal pregnant women, 175

Bell, William R. (*see* Starksen, Bell, and Kickler), 617

Benda, Jo (*see* Luciano, Hauser, and Benda), 88

Benirschke, Kurt (*see* Robinson, Jones, and Benirschke), 191

Benke, Paul J. (*see* Travers, Schwartzman, and Benke), 338

Benner, Patricia (*see* Platt et al.), 857

Bent, Alfred E. (*see* Richardson, Bent, and Ostergard), 901

Benumof, Jonathan L. (*see* Conover, Benumof, and Key), 652

Berger, Trish (*see* Marrs et al.), 477

Bergstralh, Erik J. (*see* Noller et al.), 279

Berk, Paul D. (*see* Brandes et al.), 800

Berkeley, Alan S., Killackey, Maureen A., and Cederqvist, Lars L. Elevated maternal serum α-fetoprotein levels associated with breakdown in fetal-maternal-placental barrier, 859 (Comm. in brief)

Berkowitz, Ross S., Anderson, Deborah J., Hunter, Nancy J., and Goldstein, Donald Peter. Distribution of major histocompatibility (HLA) antigens in chorionic villi of molar pregnancy, 221 (Comm. in brief)

—, Kabawat, Salim, Lazarus, Herbert, Colvin, Robert, Knapp, Robert, and Bast, Robert C., Jr. Comparison of a rabbit heteroantiserum and a murine monoclonal antibody raised against a human epithelial ovarian carcinoma cell line, 607

Berman, Michael L. (*see* Rettenmaier et al.), 471

Besch, Norma F. (*see* Huang et al.), 336

Besch, Paige K. (*see* Huang et al.), 336

Beyth, Y. (*see* Grossowicz, Jablonska, and Beyth), 331

Bieniarz, Andre (*see* Platt et al.), 857

Binkin, Nancy J., Schulz, Kenneth F., Grimes, David A., and Cates, Willard, Jr. Urea-prostaglandin versus hypertonic saline for instillation abortion, 947

Blake, Gary (*see* Freling, Kawada, and Blake), 218

Blake, Sean, Bonar, Fiona, McCarthy, Conor, and McDonald, Dermot. The effect of posture on cardiac output in late pregnancy complicated by pericardial constriction, 865

Blakemore, Karin J. (*see* Chervenak et al.), 984

Blanco, J. D. (*see* Gibbs et al.), 769

Blumhagen, Judy M. (*see* Little et al.), 23

Bolton, Richard N. (*see* Neilson et al.), 526

Bolton-Klug, Margie E., Lehner, Charles E., Lanphier, Edward H., and Rankin, John H. G. Lack of harmful effects from simulated dives in pregnant sheep, 48

Bonar, Fiona (*see* Blake et al.), 865

Bonfiglio, Thomas A. (*see* Helmkamp et al.), 893

Bonnar, John (*see* Sheppard and Bonnar), 829

Borek, Ernest, Sharma, Opendra K., and Brewer, John I. Urinary nucleic acid breakdown products as markers for trophoblastic diseases, 906

Boswell, Garry W. (*see* Flaherty et al.), 760

Bottari, Serge P., Vokaer, Alain, Kaivez, Etienne, Lescrainier, Jean Paul, and Vauquelin, Georges. Identification and characterization of α_2-adrenergic receptors in human myometrium by [^{3}H] rauwolscine binding, 639

Bowker, Caroline A. (*see* Jones, Bowker, and Diblasi), 856

Boyd, Beverly W. (*see* Goldenberg et al.), 450

Boyer, Kenneth M. (*see* Weinstein, Boyer, and Linn), 353

Brandes, Joseph M., Tavoloni, Nicola, Potter, Barry J., Sarkozi, Laszlo, Shepard, Mark D., and Berk, Paul D. A new recycling technique for human placental cotyledon perfusion: Application to studies of the fetomaternal transfer of glucose, inulin, and antipyrine, 800

Breckle, Robert (*see* Hill, Breckle, and Ellefson), 709

Brekken, Alvin L. (*see* Hauth et al.), 187

Brenner, William E. (*see* Schwartz and Brenner), 756

Brewer, John I. (*see* Borek, Sharma, and Brewer), 906

Brien, James F., Loomis, Christopher W., Tranmer, Joan, and McGrath, Michael. Disposition of ethanol in human maternal venous blood and amniotic fluid, 181

Brumfitt, W., Hamilton-Miller, J. M. T., Dixson, Shirley, and Gooding, Ann. Aztreonam, the first of a unique class of β-lactam antibiotics: In vitro activity, 712 (Comm. in brief)

Bryant, J. William (*see* Orr et al.), 882

*May 1, 1-124; May 15, 125-232; June 1, 233-352; June 15, 353-476; July 1, 477-592; July 15, 593-748; August 1, 749-876; August 15, 877-1018.

BRYCE, GRAEME F. (*see* BELIZÁN ET AL.), 175
BRYSON, S. C. PETER. β-Subunit of human chorionic gonadotropin, ultrasound, and ectopic pregnancy: A prospective study, 163
BRZEZINSKI, AMNON, and DURST, ARIE L. Endometriosis presenting as an inguinal hernia, 982 (Comm. in brief)
BUKOVSKY, IAN (*see* CASPI ET AL.), 106
BURGHARDT, E., PICKEL, H., HOLZER, E., and LAHOUSEN, M. The significance of lymphadenectomy in therapy of ovarian carcinoma, 111 (Comm. in brief)
BURMEISTER, LEON F. (*see* ZLATNIK and BURMEISTER), 199
BURRY, K. A. (*see* O'GRADY ET AL.), 52
BURTON, BARBARA K., SOWERS, SHERRIN G., and NELSON, LEWIS H. Maternal serum α-fetoprotein screening in North Carolina: Experience with more than twelve thousand pregnancies, 439
—(*see* SOWERS, REISH, and BURTON), 786

C

CAPELLA-PAVLOVSKY, M. (*see* DAFFOS, CAPELLA-PAVLOVSKY, and FORESTIER), 985
CARMAN, F. R., JR. (*see* RAO ET AL.), 65
CARR, BRUCE R., PARKER, C. RICHARD, JR., OHASHI, MASAO, MACDONALD, PAUL C., and SIMPSON, EVAN R. Regulation of human fetal testicular secretion of testosterone: Low-density lipoprotein– cholesterol and cholesterol synthesized de novo as steroid precursor, 241
CASPI, ELIAHU, SCHNEIDER, DAVID, SADOVSKY, GAD, WEINRAUB, ZVI, and BUKOVSKY, IAN. Diameter of cervical internal os after induction of early abortion by laminaria or rigid dilatation, 106 (Comm. in brief)
CASTANEDA, Y. S. (*see* GIBBS ET AL.), 769
CASTRACANE, V. DANIEL (*see* NEWBURGER ET AL.), 80
CATES, WILLARD, JR. (*see* BINKIN ET AL.), 947
CAVANAGH, DENIS (*see* MARSDEN, MCDONALD, and CAVANAGH), 109
CEDERQVIST, LARS L. (*See* BERKELEY ET AL.), 859
CETRULO, CURTIS L. (*see* SBARRA ET AL.), 622
CHALHUB, ELIAS G. (*see* PEEVY and CHALHUB), 989
CHAN, DANIEL (*see* BELIZÁN ET AL.), 175
CHANG, FRANK E. (*see* RICHARDS, CHANG, and STEMPEL), 1
CHARD, T. (*see* LILFORD, GLYN-EVANS, and CHARD), 374
CHERNICK, V., CHILDIAEVA, R., and IOFFE, S. Effects of maternal alcohol intake and smoking on neonatal electroencephalogram and anthropometric measurements, 41
CHERVENAK, FRANK A., BLAKEMORE, KARIN J., ISAACSON, GLENN, MAYDEN, KARA, and HOBBINS, JOHN C. Antenatal sonographic findings of thanatophoric dysplasia with cloverleaf skull, 984 (Comm. in brief)
CHEW, FRANK T. K. (*see* BEISCHER ET AL.), 662
CHILDIAEVA, R. (*see* CHERNICK, CHILDIAEVA, and IOFFE), 41
CLARK, BARBARA A. (*see* TWIGGS, CLARK, and OKAGAKI), 69
CLICHY, J. SENEZE (*see* KONOPKA ET AL.), 935
CO, EVELYN G. (*see* CRAFT ET AL.), 429
COALDRAKE, LEE A. (*see* CRAFT ET AL.), 429
COEN, RONALD (*see* GREEN ET AL.), 29
COHEN, ARNOLD W., GABBE, STEVEN G., and MENNUTI, MICHAEL T. Adjusted-dose heparin therapy by continuous intravenous infusion for recurrent pulmonary embolism during pregnancy, 463 (Comm. in brief)
—(*see* ROSENBLUM ET AL.), 470
COLVIN, ROBERT (*see* BERKOWITZ ET AL.), 607
CONOVER, WAYNE B., BENUMOF, JONATHAN L., and KEY, THOMAS C. Ritodrine inhibition of hypoxic pulmonary vasoconstriction, 652
COOK, C. L. (*see* RAO ET AL.), 65
COPELAND, L. J. (*see* LOTOCKI ET AL.), 141
CORDERO, LEANDRO, ANDERSON, CRAIG W., and ZUSPAN, FREDERICK P. Scalp abscess: A benign and infrequent complication of fetal monitoring, 126 (Clinical opinion)
CORSON, STEPHEN L. (*see* BATZER ET AL.), 973
COSTERTON, J. W. (*see* MARRIE and COSTERTON), 384
CÔTÉ, RAYMONDE (*see* SAINTONGE and CÔTÉ), 194
COTTLE, M. K. W., VAN PETTEN, G. R., and VAN MUYDEN, P. Maternal and fetal cardiovascular indices during fetal hypoxia due to cord compression in chronically cannulated sheep. I. Responses to timolol, 678
—, —, and— . Maternal and fetal cardiovascular indices during fetal hypoxia due to cord compression in chronically cannulated sheep. II. Responses to promazine, 686
COUREY, NORMAN G. (*see* CUNANAN, COUREY, and LIPPES), 587
COWETT, RICHARD M., SUSA, JOHN B., GILETTI, BRUNO, OH, WILLIAM, and SCHWARTZ, ROBERT. Glucose kinetics in infants of diabetic mothers, 781
—, —, KAHN, CHARLES B., GILETTI, BRUNO, OH, WILLIAM, and SCHWARTZ, ROBERT. Glucose kinetics in nondiabetic and diabetic women during the third trimester of pregnancy, 773
CRAFT, JOHN B., JR. COALDRAKE, LEE A., YONEKURA, M. LYNN, DAO, SON D., CO, EVELYN G., ROIZEN, MICHAEL F., MAZEL, PAUL, GILMAN, ROBIN, SHOKES, LESLIE, and TREVOR, ANTHONY J. Ketamine, catecholamines, and uterine tone in pregnant ewes, 429
CRISP, WILLIAM (*see* SURWIT ET AL.), 613
CROCKER, DIANE W. (*see* BAIN and CROCKER), 366
CROMBLEHOLME, WILLIAM R., MINKOFF, HOWARD L., DELKE, ISAAC, and SCHWARZ, RICHARD H. Cervical cerclage: An aggressive approach to threatened or recurrent pregnancy wastage, 168
CRUIKSHANK, DWIGHT P., VARNER, MICHAEL W., CRUIKSHANK, JEAN E., GRANT, STANLEY S., and DONNELLY, ELIZABETH. Midtrimester amniocentesis, 204
CRUIKSHANK, JEAN E. (*see* CRUIKSHANK ET AL.), 204
CUNANAN, RAFAEL G., JR., COUREY, NORMAN G., and LIPPES, JACK. Laparoscopic findings in patients with pelvic pain, 587
CURFMAN, BLANCHE L. (*see* LARSEN ET AL.), 958
CURTIS, CLIFFORD H. Autotransfusion in gynecologic hemoperitoneum, 501

D

DAFFOS, F., CAPELLA-PAVLOVSKY, M., and FORESTIER, F. A new procedure for fetal blood sampling in utero: Preliminary results of fifty-three cases, 985 (Comm. in brief)
DALTON, K. J., DAWES, G. S., and PATRICK, J. E. The autonomic nervous system and fetal heart rate variability, 456
DANIELSON, ROBERT W. Vaginal ulcers caused by tampons, 547
DAO, SON D. (*see* CRAFT ET AL.), 429
DAVENPORT, DEBORAH M., and MACRI, JAMES N. The clinical significance of low maternal serum α-fetoprotein, 657
DAVID, MENACHEM P. (*see* GOLAN ET AL.), 708
DAVIDSON, J. THOMAS (*see* MARTIN ET AL.), 255
DAWES, G. S. (*see* DALTON, DAWES, and PATRICK), 456
DEFAZIO, JOHN L. (*see* LAUFER ET AL.), 533
DELKE, ISAAC (*see* CROMBLEHOLME ET AL.), 168
DENSLOW, BRENDA L. (*see* HELMKAMP ET AL.), 893
DEPETRILLO, A. D. (*see* LOTOCKI ET AL.), 141
DEPP, O. RICHARD, III (*see* THURNAU ET AL.), 406
DESTEFANO, FRANK (*see* PETERSON ET AL.), 131
DEVORE, GREGGORY R., SIASSI, BIJAN, and PLATT, LAWRENCE D. Fetal echocardiography. III. The diagnosis of cardiac arrhythmias using real-time–directed M-mode ultrasound, 792
—(*see* PLATT ET AL.), 857
DIBLASI, ROBERT J. (*see* JONES, BOWKER, and DIBLASI), 856
DI DONATO, PIETRO (*see* KAROW ET AL.), 339
DIGNAM, WILLIAM J. Board certification: Past, present, and future, 253
DILTS, PRESTON V., JR. (*see* SIBAI ET AL.), 307
DISAIA, PHILIP J. (*see* RETTENMAIER ET AL.), 471
DIXSON, SHIRLEY (*see* BRUMFITT ET AL.), 712
DONALDSON, E. S. (*see* GALLION ET AL.), 361
DONNELLY, ELIZABETH (*see* CRUIKSHANK ET AL.), 204
DREW, JOHN H. (*see* BEISCHER ET AL.), 662
DUFF, PATRICK, ENGELSGJERD, BETH, ZINGERY, LEWIS W., HUFF, ROBERT W., and MONTIEL, MILKA M. Hemodynamic observations in a patient with intrapartum amniotic fluid embolism, 112 (Comm. in brief)
—(*see* FITZ, WEEKS, and DUFF), 467
—(*see* GIBBS ET AL.), 769
DURST, ARIE L. (*see* BRZEZINSKI and DURST), 982
DYER, ALAN (*see* THURNAU ET AL.), 406

E

EDEN, ROBERT D. (*see* KAROW ET AL.), 339
EDMAN, CLARE D. (*see* GAL ET AL.), 316
EGGENA, PETER (*see* LAUFER ET AL.), 533
ELIAS, SHERMAN (*see* SIMPSON ET AL.), 263
ELLEFSON, RALPH D. (*see* HILL, BRECKLE, and ELLEFSON), 709
ELLIOTT, JOHN P. (*see* OORTMAN and ELLIOTT), 715
—(*see* FLAHERTY ET AL.), 760
ENDO, HIROSHI (*see* TAKAHASHI ET AL.), 74
ENGELSGJERD, BETH (*see* DUFF ET AL.), 112
ENTMAN, STEPHEN S., and RICHARDSON, L. DOUGLAS. Clinical applications of the altered iron kinetics of toxemia of pregnancy, 568
ESCHENBACH, DAVID A. (*see* SWEET ET AL.), 719
EVRON, S. (*see* SAMUELOFF, EVRON, and SADOVSKY), 789

F

FAIMAN, CHARLES (*see* TANG and FAIMAN), 816
FARNHAM, JILL S. (*see* MCLAUGHLIN, QUINN, and FARNHAM), 633

Fayemi, Ayodeji, Schulman, Harold, Mitchell, Janet, and Fleischer, Adiel. Internal and external cervical os dilatation with vaginal 15-methyl prostaglandin $F_{2\alpha}$, 219 (Comm. in brief)
Fayez, Jamil A., Jobson, Vernon W., Lentz, Samuel S., Payne, Doyce G., Westra, Donald F., and Martin, Dennis K. Tubal microsurgery with the carbon dioxide laser, 371
Feld, Steven (*see* Spinapolice, Feld, and Harrigan), 166
Fiedler, Jeannie M., and Phelan, Jeffrey P. The amniotic band syndrome in monozygotic twins, 864
Figge, David C., Otto, Patricia M., Tamimi, Hisham K., and Greer, Benjamin E. Treatment variables in the management of endometrial cancer, 495
Finster, Mieczyslaw (*see* Reece et al.), 323
Fish, Charles R. (*see* Noller et al.), 279
Fitz, J. D., Weeks, K. D., Jr., and Duff, Patrick. Left ventricular dysfunction in a patient with toxic shock syndrome, 467 (Comm. in brief)
Flaherty, James F., Boswell, Garry W., Winkel, Craig A., and Elliott, John P. Pharmacokinetics of cefoxitin in patients at term gestation: Lavage versus intravenous administration, 760
Fleischer, Adiel (*see* Fayemi et al.), 219
Forestier, F. (*see* Daffos, Capella-Pavlovsky, and Forestier), 985
Forney, J. Peter (*see* Gal et al.), 316
Forss, M., Lehtovirta, P., Rauramo, I., and Kariniemi, V. Midtrimester fetal heart rate variability and maternal hemodynamics in association with smoking, 693
—(*see* Rauramo et al.), 967
Frederick, Irene B. (*see* Goodlin and Frederick), 334
Freling, Eric N., Kawada, Charles Y., and Blake, Gary. Elevated maternal serum α-fetoprotein associated with Potter's syndrome, 218 (Comm. in brief)
Friberg, Jan, and Fullan, Neil. Attachment of *Escherichia coli* to human spermatozoa, 465 (Comm. in brief)
Fullan, Neil (*see* Friberg and Fullan), 465

G

Gabbe, Steven G. (*see* Cohen, Gabbe, and Mennuti), 463
—(*see* Rosenblum et al.), 470
Gal, David, Edman, Clare D., Vellios, Frank, and Forney, J. Peter. Long-term effect of megestrol acetate in the treatment of endometrial hyperplasia, 316
Gallagher, T. F. (*see* Goodlin, Anderson, and Gallagher), 505
Gallion, H., van Nagell, J. R., Jr., Donaldson, E. S., Hanson, M. B., and Powell, D. F. Immature teratoma of the ovary, 361
Gambrell, R. Don, Jr., Bagnell, Carol A., and Greenblatt, Robert B. Role of estrogens and progesterone in the etiology and prevention of endometrial cancer: Review, 696 (Current developments)
Gao, Yong Liang, Twiggs, Leo B., Leung, Benjamin S., Yu, Winston C. Y., Potish, Roger A., Okagaki, Takashi, Adcock, Leon L., and Prem, Konald A. Cytoplasmic estrogen and progesterone receptors in primary cervical carcinoma: Clinical and histopathologic correlates, 299
Gast, Michael J., and Ott, William. Failure of ultrasonic placental grading to predict severe respiratory distress in a neonate, 464 (Comm. in brief)
Gaudry, Eric (*see* Beischer et al.), 662
Gentry, William C. (*see* Ataya et al.), 341
Gibbons, William E. (*see* Marrs et al.), 477
Gibbs, R. S., Blanco, J. D., Duff, P., Castaneda, Y. S., and St. Clair, P. J. A double-blind, randomized comparison of moxalactam versus clindamycin-gentamicin in treatment of endomyometritis after cesarean section delivery, 769
—(*see* Sweet et al.), 719
Gibson, Mark (*see* Gump, Gibson, and Ashikaga), 153
Giletti, Bruno (*see* Cowett et al.), 773, 781
Gilman, Robin (*see* Craft et al.), 429
Gilstrap, Larry C., III (*see* Hauth et al.), 187
Gimovsky, Martin L., Wallace, Roger L., Schifrin, Barry S., and Paul, Richard H. Randomized management of the nonfrank breech presentation at term: A preliminary report, 34
Givens, James R. (*see* Wild et al.), 602
Glyn-Evans, D. (*see* Lilford, Glyn-Evans, and Chard), 374
Goebelsmann, Uwe (*see* Abboud et al.), 927
—(*see* Petrucha et al.), 644
Golan, Abraham, Lidor, Arie L., Wexler, Shraga, and David, Menachem P. A new method for the management of the retained placenta, 708 (Comm. in brief)
Golbus, Mitchell S. Oocyte sensitivity to induced meiotic nondisjunction and its relationship to advanced maternal age, 435
Gold, William R., Jr., Queenan, John T., Woody, James, and Sacher, Ronald A. Oral desensitization in Rh disease, 980
Golde, Steven H. Use of obstetric perineal pads in collection of amniotic fluid in patients with rupture of the membranes, 710 (Comm. in brief)
Goldenberg, Robert L., Humphrey, Joan L., Hale, Christiane B., Boyd, Beverly W., and Wayne, John B. Neonatal deaths in Alabama. II. Policy and research implications derived from a comparison of birth weight–specific state and medical center neonatal mortality rates, 450
Goldstein, David S., Levinson, Paul, and Keiser, Harry R. Plasma and urinary catecholamines during the human ovulatory cycle, 824
Goldstein, Donald Peter (*see* Berkowitz et al.), 221
Goldstein, P. (*see* London et al.), 630
Goldzieher, Joseph W. (*see* Newburger et al.), 80
Gooding, Ann (*see* Brumfitt et al.), 712
Goodlin, Robert C. Correction of pregnancy-related thrombocytopenia with aspirin without improvement in fetal outcome, 862
— and Frederick, Irene B. Postpartum vulvar edema associated with the birthing chair, 334 (Comm. in brief)
—, Anderson, J. C., and Gallagher, T. F. Relationship between amniotic fluid volume and maternal plasma volume expansion, 505
Graham, David (*see* Witter and Graham), 225
Grant, Stanley S. (*see* Cruikshank et al.), 204
Grathwohl, Harrison L. (*see* Little et al.), 23
Green, Karen W., Key, Thomas C., Coen, Ronald, and Resnik, Robert. The effects of maternally administered magnesium sulfate on the neonate, 29
Greenblatt, Robert B. (*see* Gambrell et al.), 696
Greenspan, Joel R. (*see* Peterson et al.), 131
Greenwood, Sadja (*see* Margolis, Greenwood, and Heilbron), 541
Greer, Benjamin E. (*see* Figge et al.), 495
Grimes, David A. (*see* Binkin et al.), 947
Gross, Thomas L., Sokol, Robert J., Kwong, Melinda S. K., Wilson, Margaret, and Kuhnert, Paul M. Transient tachypnea of the newborn: The relationship to preterm delivery and significant neonatal morbidity, 236
Grossman, Alan R. (*see* Rosenblum et al.), 470
Grossowicz, N., Jablonska, Mala, and Beyth, Y. Vitamin B_{12}–binding proteins in human amniotic fluid: An index to fetal maturity, 331 (Comm. in brief)
Growdon, William A. An ominous left-sided pelvic mass in a young woman associated with the Cambridge Diet, 987 (Comm. in brief)
Grozea, Petre N. (*see* Surwit et al.), 613
Grundsell, Hans (*see* Larsson et al.), 145
Gullberg, Bo (*see* Larsson et al.), 145
Gump, Dieter W., Gibson, Mark, and Ashikaga, Taka. Evidence of prior pelvic inflammatory disease and its relationship to *Chlamydia trachomatis* antibody and intrauterine contraceptive device use in infertile women, 153
Guzinski, Gary M. (*see* Little et al.), 23

H

Haase, Helen R. (*see* Petrucha et al.), 644
Hale, Christiane B. (*see* Goldenberg et al.), 450
Hale, Ralph W., Kosasa, Thomas, Krieger, John, and Pepper, Sharee. A marathon: The immediate effect on female runners' luteinizing hormone, follicle-stimulating hormone, prolactin, testosterone, and cortisol levels, 549
Hamilton, E. (*see* Lis et al.), 575
Hamilton-Miller, J. M. T. (*see* Brumfitt et al.), 712
Hankins, Gary D., and Leveno, Kenneth J. Does ritodrine cause fever, 110 (Comm. in brief)
—(*see* Hauth et al.), 916
Hansen, K. Brogaard (*see* Thomsen, Hansen, and Moller), 938
Hanson, M. B. (*see* Gallion et al.), 361
Harber, Leonard C. (*see* Baxi et al.), 333
Hardy, Marie (*see* Kirkland et al.), 380
Hargrave, Barbara Y. (*see* Kelly et al.), 807
Harper, James S., III (*see* Larsen et al.), 958
Harrigan, John T. (*see* Spinapolice, Feld, and Harrigan), 166
Harris, Bruce A., Jr. (*see* Martin et al.), 255
Hatch, Kenneth D. (*see* Orr et al.), 882
Hauser, Katherine S. (*see* Luciano, Hauser, and Benda), 88
Hauth, Jane M. (*see* Hauth et al.), 187
Hauth, John C., Gilstrap, Larry C., III, Brekken, Alvin L., and Hauth, Jane M. The effect of 17α-hydroxyprogesterone caproate on pregnancy outcome in an active-duty military population, 187

—, Hankins, Gary D., Kuehl, Thomas J., and Pierson, Wayne P. Ritodrine hydrochloride infusion in pregnant baboons. I. Biophysical effects, 916
Hays, Bethany M. (*see* Huang et al.), 336
Heikinheimo, Markku, and Seppälä, Markku. Amniotic fluid human chorionic gonadotropin in late pregnancy: Elevated levels in toxemia with intrauterine growth retardation, 766
Heilbron, David (*see* Margolis, Greenwood, and Heilbron), 541
Heinrich, D. (*see* Lis et al.), 575
Helmkamp, B. Frederick, Denslow, Brenda L., Bonfiglio, Thomas A., and Beecham, Jackson B. Cervical conization: When is uterine dilatation and curettage also indicated, 893
Henriksen, Eva (*see* Abboud et al.), 927
Hensleigh, Paul A. Preventing rhesus isoimmunization, 749 (Clinical opinion)
Hermann, K. (*see* Lis et al.), 575
Hershman, Jerome M. (*see* Laufer et al.), 533
Hill, Gale (*see* Sweet et al.), 719
Hill, Lyndon M., Breckle, Robert, and Ellefson, Ralph D. The contribution of the fetal kidney to the amniotic fluid lung profile, 709 (Comm. in brief)
Hindle, William H., and Navin, James. Breast aspiration cytology: A neglected gynecologic procedure, 482
Hinkley, Clark M. (*see* Huang et al.), 336
Hobbins, John C. (*see* Chervenak et al.), 984
—(*see* Jeanty et al.), 593
Hobel, Calvin J. (*see* Lee et al.), 930
Hoffman, David I. (*see* Abboud et al.), 927
Hohimer, A. R. (*see* O'Grady et al.), 52
Hökegård, Klas-Henry (*see* Nielsen and Hökegård), 911
Hollingsworth, Dorothy R. Alterations of maternal metabolism in normal and diabetic pregnancies: Differences in insulin-dependent, non–insulin-dependent, and gestational diabetes, 417
Holzer, E. (*see* Burghardt et al.), 111
Horon, Isabelle L., Strobino, Donna M., and MacDonald, Hugh M. Birth weights among infants born to adolescent and young adult women, 444
Hsiung, Christopher (*see* Karow et al.), 339
Huang, Norman H., Besch, Norma F., Hays, Bethany M., Hinkley, Clark M., and Besch, Paige K. Estriol in saliva as an index of fetoplacental function, 336 (Comm. in brief)
Huddleston, John F. (*see* Martin et al.), 255
Huff, Robert W. (*see* Duff et al.), 112
Hulka, Jaroslav F. (*see* Spielman et al.), 821
Humphrey, Joan L. (*see* Goldenberg et al.), 450
Hung, Tran T. (*see* Petrucha et al.), 644
Hunter, Nancy J. (*see* Berkowitz et al.), 221
Hussa, R. O. (*see* Rao et al.), 65

I

Iffy, Leslie, Lavenhar, Marvin A., Jakobovits, Antal, and Kaminetzky, Harold A. The rate of early intrauterine growth in twin gestation, 970
Ikeno, Nobuko (*see* Takahashi et al.), 74
Innis, Sheila M. Effect of cholestyramine administration during pregnancy in the rat, 13
Ioffe, S. (*see* Chernick, Childiaeva, and Ioffe), 41
Isaacson, Glenn (*see* Chervenak et al.), 984
Iwasawa, H. (*see* Sekiya et al.), 57

J

Jablonska, Mala (*see* Grossowicz, Jablonska, and Beyth), 331
Jackson, Ralph A. (*see* Surwit et al.), 613
Jakobovits, Antal (*see* Iffy et al.), 970
Janssen, T. H. M. (*see* Uttendorfsky et al.), 222
Jeanty, P., Rodesch, F., Romero, R., Venus, I., and Hobbins, J. C. How to improve your amniocentesis technique, 593 (Clinical opinion)
Jefferies, John A. (*see* Noller et al.), 279
Jobson, Vernon W. (*see* Fayez et al.), 371
Johnson, Thomas M. (*see* Lake et al.), 877
Jones, Henry W., III, Bowker, Caroline A., and Diblasi, Robert J. Postpartum hemolytic uremic syndrome, 856 (Comm. in brief)
Jones, Kenneth L. (*see* Robinson, Jones, and Benirschke), 191
Josephson, Mark W. (*see* Tsai, Josephson, and Knox), 963
Judd, Howard L. (*see* Laufer et al.), 533
Julesz, J. (*see* Lis et al.), 575

K

Kabawat, Salim (*see* Berkowitz et al.), 607
Kahn, Charles B. (*see* Cowett et al.), 773
Kaiho, T. (*see* Sekiya et al.), 57
Kaivez, Etienne (*see* Bottari et al.), 639
Kaminetzky, Harold A. (*see* Iffy et al.), 970
Karam, Karam (*see* Ataya et al.), 341
Kariniemi, V. (*see* Forss et al.), 693
—(*see* Rauramo et al.), 967
Karow, William G., Eden, Robert D., Gentry, William C., Tabsh, Khalil, Hsiung, Christopher, and Di Donato, Pietro. Diagnosis of symmetrical growth retardation by serial ultrasound and serum human chorionic gonadotropin measurements in a bicornuate uterus: A case report, 339 (Comm. in brief)
Kasper, Dennis L. (*see* Larsen et al.), 958
Katz, Bruce (*see* Baxi et al.), 333
Kaufman, Raymond H. (*see* Noller et al.), 279
Kawada, Charles Y. (*see* Freling, Kawada, and Blake), 218
Keiser, Harry R. (*see* Goldstein, Levinson, and Keiser), 824
Kelly, Randall T., Rose, James C., Meis, Paul J., Hargrave, Barbara Y., and Morris, Marianna. Vasopressin is important for restoring cardiovascular homeostasis in fetal lambs subjected to hemorrhage, 807
Kelly, Robert W., and Roberts, Daniel K. Experience with the carbon dioxide laser in gynecologic microsurgery, 583
Kennison, Robert (*see* Sbarra et al.), 622
Key, Thomas C. (*see* Conover, Benumof, and Key), 652
—(*see* Green et al.), 29
Khoo, Swee (*see* Abboud et al.), 927
Kickler, Thomas S. (*see* Starksen, Bell, and Kickler), 617
Killackey, Maureen A. (*see* Berkeley et al.), 859
King, Jeffrey C. (*see* Willcourt, King, and Queenan), 714
Kirk, E. Paul, and Wah, Robert M. Obstetric management of the fetus with omphalocele or gastroschisis: A review and report of one hundred twelve cases, 512
Kirkland, John L., Mukku, Venkat, Hardy, Marie, and Young, Ronald. Evidence for triiodothyronine receptors in human endometrium and myometrium, 380
Klein, Victor (*see* Michalak, Klein, and Marquette), 861
Kloosterman, G. J. (*see* Schutte et al.), 395
Knapp, Robert (*see* Berkowitz et al.), 607
Knox, G. Eric (*see* Tsai, Josephson, and Knox), 963
Knuppel, Robert A. (*see* Lake et al.), 877
Konopka, P., Raymond, J. P., Merceron, R. E., and Clichy, J. Seneze. Continuous administration of bromocriptine in the prevention of neurological complications in pregnant women with prolactinomas, 935
Korp, Susan (*see* Rivera-Alsina et al.), 924
Kosasa, Thomas (*see* Hale et al.), 549
Krieger, John (*see* Hale et al.), 549
Kuehl, Thomas J. (*see* Hauth et al.), 916
Kuhnert, Betty R. (*see* Philipson et al.), 16
Kuhnert, Paul M. (*see* Gross et al.), 236
Kullander, S. (*see* Persson and Kullander), 942
Kulseng-Hanssen, Sigurd. Prevalence and pattern of unstable urethral pressure in one hundred seventy-four gynecologic patients referred for urodynamic investigation, 895
Kuźniar, J., Piela, A., and Skręt, A. Left ventricular function in preeclamptic patients: An echocardiographic study, 400
Kwong, Melinda S. K. (*see* Gross et al.), 236

L

Lahousen, M. (*see* Burghardt et al.), 111
Lake, Marian, Knuppel, Robert A., Murphy, Jane, and Johnson, Thomas M. The role of a grief support team following stillbirth, 877 (Clinical opinion)
Lakeman, Alfred D. (*see* Volpi et al.), 813
Lambotte, R. (*see* Schaaps, Thoumsin, and Lambotte), 105
Lanphier, Edward H. (*see* Bolton-Klug et al.), 48
Larsen, John W., Jr., Harper, James S., III, London, William T., Baker, Carol J., Curfman, Blanche L., Kasper, Dennis L., and Sever, John L. Antibody to type III group B *Streptococcus* in the rhesus monkey, 958
Larsson, Göran, Alm, Per, Gullberg, Bo, and Grundsell, Hans. Prognostic factors in early invasive carcinoma of the uterine cervix, 145
Laufer, Larry R., DeFazio, John L., Lu, John K. H., Meldrum, David R., Eggena, Peter, Sambhi, Mohinder P., Hershman, Jerome M., and Judd, Howard L. Estrogen replacement therapy by transdermal estradiol administration, 533
Lavenhar, Marvin A. (*see* Iffy et al.), 970
Lazarus, Herbert (*see* Berkowitz et al.), 607
Lee, Milton I., Hobel, Calvin J., Todd, Herbert M., and Oakes, Gary K. Dietary sodium manipulation and vascular responsiveness during pregnancy in the rabbit, 930

LEE, NANCY C. (*see* PETERSON ET AL.), 131
LEHMAN, ROBERT E. Umbilical cord prolapse following external cephalic version with tocolysis, 983 (Comm. in brief)
LEHNER, CHARLES E. (*see* BOLTON-KLUG ET AL.), 48
LEHTOVIRTA, P. (*see* FORSS ET AL.), 693
—(*see* RAURAMO ET AL.), 967
LEIGH, SUSAN (*see* SURWIT ET AL.), 613
LENKE, ROGER R., VANDORSTEN, JAMES P., and SCHIFRIN, BARRY S. Pyelonephritis in pregnancy: A prospective randomized trial to prevent recurrent disease evaluating suppressive therapy with nitrofurantoin and close surveillance, 953
LENTZ, SAMUEL S. (*see* FAYEZ ET AL.), 371
LESCRAINIER, JEAN PAUL (*see* BOTTARI ET AL.), 639
LEUNG, BENJAMIN S. (*see* GAO ET AL.), 299
LEVENO, KENNETH J. (*see* HANKINS and LEVENO), 110
LEVINSON, PAUL (*see* GOLDSTEIN, LEVINSON, and KEISER), 824
LIANG, S. T., WOO, J. S. K., and TANG, G. W. K. Ultrasonic localization of a displaced laminaria tent, 988 (Comm. in brief)
LIDOR, ARIE L. (*see* GOLAN ET AL.), 708
LILFORD, R. J., GLYN-EVANS, D., and CHARD, T. The use of a patient-interactive microcomputer system to obtain histories in an infertility and gynecologic endocrinology clinic, 374
LINK, DAVID A. (*see* BARNES and LINK), 335
LINN, EDWARD S. (*see* WEINSTEIN, BOYER, and LINN), 353
LINN, SHAI, SCHOENBAUM, STEPHEN C., MONSON, RICHARD R., ROSNER, BERNARD, STUBBLEFIELD, PHILLIP G., and RYAN, KENNETH J. The relationship between induced abortion and outcome of subsequent pregnancies, 136
LIPPES, JACK (*see* CUNANAN, COUREY, and LIPPES), 587
LIPSHITZ, JEFFREY (*see* AHOKAS, ANDERSON, and LIPSHITZ), 6
LIS, M., JULESZ, J., SENICAS, V. M., HAMILTON, E., PERRY, T., HERMANN, K., and HEINRICH, D. N-terminal peptide of pro-opiomelanocortin in human amniotic fluid, 575
LITTLE, RUTH E., STREISSGUTH, ANN PYTKOWICZ, GUZINSKI, GAY M., GRATHWOHL, HARRISON L., BLUMHAGEN, JUDY M., and MCINTYRE, CATHERINE E. Change in obstetrician advice following a two-year community educational program on alcohol use and pregnancy, 23
LOBO, ROGERIO A. (*see* PETRUCHA ET AL.), 644
LONDON, R., VALLEJOS, J., BAER, D., STRUMMER, D., REYNOLDS, M., and GOLDSTEIN, P. Serum unconjugated estriol concentrations before and after the oxytocin challenge test: An index of fetal well-being, 630
LONDON, WILLIAM T. (*see* LARSEN ET AL.), 958
LOOMIS, CHRISTOPHER W. (*see* BRIEN ET AL.), 181
LOTOCKI, R. J., COPELAND, L. J., DEPETRILLO, A. D., and MUIRHEAD, W. Stage I endometrial adenocarcinoma: Treatment results in 835 patients, 141
LOUIS, FARID (*see* SBARRA ET AL.), 622
LU, JOHN K. H. (*see* LAUFER ET AL.), 533
LUCIANO, ANTHONY A., HAUSER, KATHERINE S., and BENDA, JO. Evaluation of commonly used adjuvants in the prevention of postoperative adhesions, 88

M

MCCARTHY, CONOR (*see* BLAKE ET AL.), 865
MCCUBBIN, JACK H. (*see* SIBAI ET AL.), 307
MCDONALD, DERMOT (*see* BLAKE ET AL.), 865
MACDONALD, HUGH M. (*see* HORON, STROBINO, and MACDONALD), 444
MACDONALD, PAUL C. (*see* CARR ET AL.), 241
MCDONALD, THOMAS W. (*see* MARSDEN, MCDONALD, and CAVANAGH), 109
MCGORRAY, SUSAN P. (*see* NOLLER ET AL.), 279
MCGRATH, MICHAEL (*see* BRIEN ET AL.), 181
MCINTYRE, CATHERINE E. (*see* LITTLE ET AL.), 23
MCLAUGHLIN, MARGARET K., QUINN, PATRICIA M., and FARNHAM, JILL S. Differential sensitivity to angiotensin II in pregnant rabbits, 633
MACRI, JAMES N. (*see* DAVENPORT and MACRI), 657
MAIN, DENISE M., MAIN, ELLIOTT K., and MAURER, MICHAEL M. Cesarean section versus vaginal delivery for the breech fetus weighing less than 1,500 grams, 578
MAIN, ELLIOTT K. (*see* MAIN, MAIN, and MAURER), 578
MAKLAD, NABIL (*see* RIVERA-ALSINA ET AL.), 924
MALINAK, L. RUSSELL (*see* WHEELER and MALINAK), 247
MARGOLIS, ALAN J., GREENWOOD, SADJA, and HEILBRON, DAVID. Survey of men and women residents entering United States obstetrics and gynecology programs in 1981, 541
MARK, CARL, III (*see* NEILSON ET AL.), 526
MARQUETTE, GERALD P. (*see* MICHALAK, KLEIN, and MARQUETTE), 861
MARRIE, THOMAS J., and COSTERTON, J. W. A scanning and transmission electron microscopic study of the surfaces of intrauterine contraceptive devices, 384
MARRS, RICHARD P., VARGYAS, JOYCE M., SAITO, HIDEKAZU, GIBBONS, WILLIAM E., BERGER, TRISH, and MISHELL, DANIEL R., JR. Clinical applications of techniques used in human in vitro fertilization research, 477
MARSDEN, DONALD E., MCDONALD, THOMAS W., and CAVANAGH, DENIS. A method for clearing smoke during laser surgery of the vagina and cervix, 109 (Comm. in brief)
MARTIN, ALICE O. (*see* SIMPSON ET AL.), 263
—(*see* THURNAU ET AL.), 406
MARTIN, DENNIS K. (*see* FAYEZ ET AL.), 371
MARTIN, JAMES N., JR., HARRIS, BRUCE A., JR., HUDDLESTON, JOHN F., MORRISON, JOHN C., PROPST, MAUREEN G., WISER, WINFRED L., PERLIS, H. WILLIAM, and DAVIDSON, J. THOMAS. Vaginal delivery following previous cesarean birth, 255
MARTIN, M. C. (*see* TAYLOR ET AL.), 557
MAURER, MICHAEL M. (*see* MAIN, MAIN, and MAURER), 578
MAYDEN, KARA (*see* CHERVENAK ET AL.), 984
MAZEL, PAUL (*see* CRAFT ET AL.), 429
MEIS, PAUL J. (*see* KELLY ET AL.), 807
MELDRUM, DAVID R. (*see* LAUFER ET AL.), 533
MENDENHALL, HIRAM W. (*see* ANDRINOPOULOS and MENDENHALL), 217
MENNUTI, MICHAEL T. (*see* COHEN, GABBE, and MENNUTI), 463
—(*see* ROSENBLUM ET AL.), 470
MERCERON, R. E. (*see* KONOPKA ET AL.), 935
MICHALAK, DANIEL, KLEIN, VICTOR, and MARQUETTE, GERALD P. Myocardial ischemia: A complication of ritodrine tocolysis, 861 (Comm. in brief)
MINATO, KEIICHI (*see* TAKAHASHI ET AL.), 74
MINKOFF, HOWARD L. (*see* CROMBLEHOLME ET AL.), 168
MISHELL, DANIEL R., JR. (*see* MARRS ET AL.), 477
MITCHELL, JANET (*see* FAYEMI ET AL.), 219
MIYAZAKI, FRED S., and TAYLOR, NANCY A. Saline amnioinfusion for relief of variable or prolonged decelerations, 670
MØLLER, BIRGER R. (*see* THOMSEN, HANSEN, and MØLLER), 938
MONIF, GILLES R. G. Recurrent chorioamnionitis and maternal septicemia: A case of successful in utero therapy, 334 (Comm. in brief)
MONSON, RICHARD R. (*see* LINN ET AL.), 136
MONTIEL, MILKA M. (*see* DUFF ET AL.), 112
MOORE, PERRY H., JR. (*see* NEWBURGER ET AL.), 80
MORLEY, GEORGE W. (*see* PETERS ET AL.), 285
MORRIS, MARIANNA (*see* KELLY ET AL.), 807
MORRISON, JOHN C. (*see* MARTIN ET AL.), 255
MORTEL, R. (*see* SATYASWAROOP and MORTEL), 159
MUDAWWAR, FUAD (*see* ATAYA ET AL.), 341
MUELLER, ROBERT A. (*see* SPIELMAN ET AL.), 821
MUIRHEAD, W. (*see* LOTOCKI ET AL.), 141
MUKKU, VENKAT (*see* KIRKLAND ET AL.), 380
MURPHY, JANE (*see* LAKE ET AL.), 877
VAN MUYDEN, P. (*see* COTTLE, VAN PETTEN, and VAN MUYDEN), 678, 686

N

VAN NAGELL, J. R., JR. (*see* GALLION ET AL.), 361
NATHANIELSZ, P. W. (*see* TAYLOR ET AL.), 557
NAVIN, JAMES (*see* HINDLE and NAVIN), 482
NEILSON, DUNCAN R., JR., PRINS, ROBERT P., BOLTON, RICHARD N., MARK, CARL, III, and WATSON, PETER. A comparison of prostaglandin E_2 gel and prostaglandin $F_{2\alpha}$ gel for preinduction cervical ripening, 526
NELSON, LEWIS H. (*see* BURTON, SOWERS, and NELSON), 439
NEWBURGER, JEROLD, CASTRACANE, V. DANIEL, MOORE, PERRY H., JR., WILLIAMS, MARY C., and GOLDZIEHER, JOSEPH W. The pharmacokinetics and metabolism of ethinyl estradiol and its three sulfates in the baboon, 80
NIELSEN, THORKILD F., and HÖKEGÅRD, KLAS-HENRY. Postoperative cesarean section morbidity: A prospective study, 911
NOLLER, KENNETH L., TOWNSEND, DUANE E., KAUFMAN, RAYMOND H., BARNES, ANN B., ROBBOY, STANLEY J., FISH, CHARLES R., JEFFERIES, JOHN A., BERGSTRALH, ERIK J., O'BRIEN, PETER C., MCGORRAY, SUSAN P., and SCULLY, ROBERT. Maturation of vaginal and cervical epithelium in women exposed in utero to diethylstilbestrol (DESAD Project), 279
NOUEIHED, RABIAH (*see* ABBOUD ET AL.), 927

O

OAKES, GARY K. (*see* LEE ET AL.), 930
OATS, JEREMY N. (*see* BEISCHER ET AL.), 662
O'BRIEN, PETER C. (*see* NOLLER ET AL.), 279
OGATA, EDWARD S. (*see* SIMPSON ET AL.), 263
O'GRADY, J. P., RICHARDSON, B., HOHIMER, A. R., and BURRY, K. A. The effect of induced maternal hypercapnia on gross fetal body movements, 52
OH, WILLIAM (*see* COWETT ET AL.), 773, 781

OHASHI, MASAO (*see* CARR ET AL.), 241
OKAGAKI, TAKASHI (*see* TWIGGS, CLARK, and OKAGAKI), 69
—(*see* GAO ET AL.), 299
OORTMAN, EVERT H., and ELLIOTT, JOHN P. Hepatocellular carcinoma metastatic to the ovary: A case report, 715 (Comm. in brief)
ORR, JAMES W., JR. SHINGLETON, HUGH M., SOONG, SENG JAW, HATCH, KENNETH D., BRYANT, J. WILLIAM, PARTRIDGE, EDWARD E., AUSTIN, J. MAX, JR., TAYLOR, PEYTON T., and PEARCE, STEVEN C. Hemodynamic parameters following pelvic exenteration, 882
ORY, HOWARD W. (*see* PETERSON ET AL.), 131
OSTERGARD, DONALD R. (*see* RICHARDSON, BENT, and OSTERGARD), 901
OSTHEIMER, GERARD W. (*see* SPIELMAN ET AL.), 821
OTIS, CHARI (*see* BATZER ET AL.), 973
OTT, WILLIAM (*see* GAST and OTT), 464
OTTO, PATRICIA M. (*see* FIGGE ET AL.), 495

P

PALMER, MARY S. (*see* SIMPSON ET AL.), 263
PARKER, C. RICHARD, JR. (*see* CARR ET AL.), 241
PARKINSON, PATRICIA (*see* BEISCHER ET AL.), 662
PARTRIDGE, EDWARD E. (*see* ORR ET AL.), 882
PASCAL, B. (*see* AUSLENDER ET AL.), 717
PATRICK, J. E. (*see* DALTON, DAWES, and PATRICK), 456
PAUL, RICHARD H. (*see* GIMOVSKY ET AL.), 34
PAYNE, DOYCE G. (*see* FAYEZ ET AL.), 371
PEARCE, STEVEN C. (*see* ORR ET AL.), 882
PEARSE, WARREN H. "And, having writ, moves on," 233
PEEVY, KEITH J., and CHALHUB, ELIAS G. Occult group B streptococcal infection: An important cause of intrauterine asphyxia, 989 (Comm. in brief)
PELLIGRA, RALPH (*see* SANDBERG and PELLIGRA), 519
PEPPER, SHAREE (*see* HALE ET AL.), 549
PEREIRA, LENORE (*see* VOLPI ET AL.), 813
PERLIS, H. WILLIAM (*see* MARTIN ET AL.), 255
PERRY, T. (*see* LIS ET AL.), 575
PERSSON, P.-H., and KULLANDER, S. Long-term experience of general ultrasound screening in pregnancy, 942
PETERS, WILLIAM A., III, ANDERSEN, WILLIE A., THORNTON, W. NORMAN, JR., and MORLEY, GEORGE W. The selective use of vaginal hysterectomy in the management of adenocarcinoma of the endometrium, 285
PETERSON, HERBERT B., DESTEFANO, FRANK, RUBIN, GEORGE L., GREENSPAN, JOEL R., LEE, NANCY C., and ORY, HOWARD W. Deaths attributable to tubal sterilization in the United States, 1977 to 1981, 131
PETRIE, ROY H. (*see* REECE ET AL.), 323
PETRUCHA, RUTH A., GOEBELSMANN, UWE, HUNG, TRAN T., HAASE, HELEN R., and LOBO, ROGERIO A. Amniotic fluid β-endorphin and β-lipotropin concentrations during the second and third trimesters, 644
PHELAN, JEFFREY P. (*see* FIEDLER and PHELAN), 864
PHILIPSON, ELLIOT H., KUHNERT, BETTY R., SYRACUSE, CAROL B., REESE, ANNE L. P., and ROSEN, MORTIMER G. Intrapartum paracervical block anesthesia with 2-chloroprocaine, 16
—, SOKOL, ROBERT J., and WILLIAMS, THOMAS. Oligohydramnios: Clinical association and predictive value for intrauterine growth retardation, 271
PHILLIPPE, MARK. Fetal catecholamines, 840 (Current developments)
PICKEL, H. (*see* BURGHARDT ET AL.), 111
PIELA, A. (*see* KUŹNIAR, PIELA, and SKRĘT), 400
PIERSON, WAYNE P. (*see* HAUTH ET AL.), 916
PLATT, LAWRENCE D., DEVORE, GREGGORY R., BIENIARZ, ANDRE, BENNER, PATRICIA, and RAO, RAMAMOHAN. Antenatal diagnosis of acephalus acardia: A proposed management scheme, 857 (Comm. in brief)
—(*see* DEVORE, SIASSI, and PLATT), 792
POTISH, ROGER A. (*see* GAO ET AL.), 299
POTTER, BARRY J. (*see* BRANDES ET AL.), 800
POWELL, D. F. (*see* GALLION ET AL.), 361
PREM, KONALD A. (*see* GAO ET AL.), 299
PRINS, ROBERT P. (*see* NEILSON ET AL.), 526
PROPST, MAUREEN G. (*see* MARTIN ET AL.), 255
PUROHIT, DILIP M. (*see* WOLFMAN, PUROHIT, and SELF), 468

Q

QUEENAN, JOHN T. (*see* WILLCOURT, KING, and QUEENAN), 714
—(*see* GOLD ET AL.), 980
QUINN, PATRICIA M. (*see* MCLAUGHLIN, QUINN, and FARNHAM), 633

R

RADVANY, RUTA A. (*see* SIMPSON ET AL.), 263
RANKIN, JOHN H. G. (*see* BOLTON-KLUG ET AL.), 48
RANNEY, GIPSIE B. (*see* WILD ET AL.), 602
RAO, CH. V., HUSSA, R. O., CARMAN, F. R., JR., RINKE, M. L., COOK, C. L., and YUSSMAN, M. A. Stability of human chorionic gonadotropin and its alpha subunit in human blood, 65
RAO, RAMAMOHAN (*see* PLATT ET AL.), 857
RAURAMO, ILKKA, FORSS, MATTI, KARINIEMI, VEIKKO, and LEHTOVIRTA, PENTTI. Antepartum fetal heart rate variability and intervillous placental blood flow in association with smoking, 967
—(*see* FORSS ET AL.), 693
RAY, DEBORAH A. (*see* RETTENMAIER ET AL.), 471
RAYMOND, J. P. (*see* KONOPKA ET AL.), 935
REECE, E. ALBERT, PETRIE, ROY H., SIRMANS, MEREDITH F., FINSTER, MIECZYSLAW, and TODD, W. DUANE. Combined intrauterine and extrauterine gestations: A review, 323
REESE, ANNE L. P. (*see* PHILIPSON ET AL.), 16
REISH, RODNEY L. (*see* SOWERS, REISH, and BURTON), 786
RESNIK, ROBERT (*see* GREEN ET AL.), 29
RETTENMAIER, MARK A., RAY, DEBORAH A., STOSKOPF, CORT G., DISAIA, PHILIP J., and BERMAN, MICHAEL L. The use of gallium scanning and determination of human chorionic gonadotropin to evaluate resorption of an abdominal placenta, 471 (Comm. in brief)
REYNOLDS, M. (*see* LONDON ET AL.), 630
RICHARDS, STEPHEN R., and ZUSPAN, FREDERICK P. A new etiology for a pelvic mass: Cardiac catheterization pelvic hematoma, 108 (Comm. in brief)
—, CHANG, FRANK E., and STEMPEL, LAURENCE E. Hyperlactacidemia associated with acute ritodrine infusion, 1
RICHARDSON, B. (*see* O'GRADY ET AL.), 52
RICHARDSON, DAVID A., BENT, ALFRED E., and OSTERGARD, DONALD R. The effect of uterovaginal prolapse on urethrovesical pressure dynamics, 901
RICHARDSON, L. DOUGLAS (*see* ENTMAN and RICHARDSON), 568
RINKE, M. L. (*see* RAO ET AL.), 65
RIVERA-ALSINA, MANUEL E., SALDANA, LUIS R., MAKLAD, NABIL, and KORP, SUSAN. The use of ultrasound in the expectant management of abruptio placentae, 924
ROBBOY, STANLEY J. (*see* NOLLER ET AL.), 279
ROBERTS, DANIEL K. (*see* KELLY and ROBERTS), 583
ROBINSON, LUTHER K., JONES, KENNETH L., and BENIRSCHKE, KURT. The nature of structural defects associated with velamentous and marginal insertion of the umbilical cord, 191
RODESCH, F. (*see* JEANTY ET AL.), 593
ROIZEN, MICHAEL F. (*see* CRAFT ET AL.), 429
ROJAS, LAURA (*see* BELIZÁN ET AL.), 175
ROMERO, R. (*see* JEANTY ET AL.), 593
ROSE, JAMES C. (*see* KELLY ET AL.), 807
ROSEN, MORTIMER G. (*see* PHILIPSON ET AL.), 16
ROSENBLUM, NORMAN G., GROSSMAN, ALAN R., GABBE, STEVEN G., MENNUTI, MICHEL T., and COHEN, ARNOLD W. Failure of serial echocardiographic studies to predict aortic dissection in a pregnant patient with Marfan's syndrome, 470 (Comm. in brief)
ROSNER, BERNARD (*see* LINN ET AL.), 136
RUBEO, THOMAS J., JR. (*see* BAXI ET AL.), 333
RUBIN, GEORGE L. (*see* PETERSON ET AL.), 131
RUBINO, S. M., and SCIALABBA, M. A. A clinical evaluation of a modified Foley catheter, 103 (Comm. in brief)
RYAN, KENNETH J. (*see* LINN ET AL.), 136

S

SACHER, RONALD A. (*see* GOLD ET AL.), 980
SACHS, BENJAMIN P. (*see* ACKER ET AL.), 220
SADOVSKY, E. (*see* SAMUELOFF, EVRON, and SADOVSKY), 789
SADOVSKY, GAD (*see* CASPI ET AL.), 106
ST. CLAIR, P. J. (*see* GIBBS ET AL.), 769
SAINTONGE, JACQUES, and CÔTÉ, RAYMONDE. Intrauterine growth retardation and diabetic pregnancy: Two types of fetal malnutrition, 194
SAITO, HIDEKAZU (*see* MARRS ET AL.), 477
SALDANA, LUIS R. (*see* RIVERA-ALSINA ET AL.), 924
SAMBHI, MOHINDER P. (*see* LAUFER ET AL.), 533
SAMUELOFF, A., EVRON, S., and SADOVSKY, E. Fetal movements in multiple pregnancy, 789
SANDBERG, EUGENE C., and PELLIGRA, RALPH. The medical antigravity suit for management of surgically uncontrollable bleeding associated with abdominal pregnancy, 519

SARKOZI, LASZLO (*see* BRANDES ET AL.), 800
SATYASWAROOP, P. G., and MORTEL, R. Creatine kinase activity in human endometrium: Relative distribution in isolated glands and stroma, 159
SBARRA, ANTHONY J., SELVARAJ, RATNAM J., CETRULO, CURTIS L., THOMAS, GAIL, LOUIS, FARID, and KENNISON, ROBERT. Phagocytosis and onset of human labor, 622
SCHAAPS, J. P., THOUMSIN, H., and LAMBOTTE, R. Intrauterine unilateral nephrostomy, 105 (Comm. in brief)
SCHIFRIN, BARRY S. (*see* LENKE, VANDORSTEN, and SCHIFRIN), 953
—(*see* GIMOVSKY ET AL.), 34
SCHLAFF, SHELDON (*see* BATZER ET AL.), 973
SCHNEIDER, DAVID (*see* CASPI ET AL.), 106
SCHNEIDER, KEITH (*see* WHEELER and SCHNEIDER), 597
SCHOENBAUM, STEPHEN C. (*see* LINN ET AL.), 136
SCHULMAN, HAROLD (*see* FAYEMI ET AL.), 219
SCHULZ, KENNETH F. (*see* BINKIN ET AL.), 947
SCHUTTE, M. F., TREFFERS, P. E., KLOOSTERMAN, G. J., and SOEPATMI, S. Management of premature rupture of membranes: The risk of vaginal examination to the infant, 395
SCHWARTZ, MARTIN L., and BRENNER, WILLIAM E. Pregnancy-induced hypertension presenting with life-threatening thrombocytopenia, 756
SCHWARTZ, ROBERT (*see* COWETT ET AL.), 773, 781
SCHWARTZMAN, MORTON (*see* TRAVERS, SCHWARTZMAN, and BENKE), 338
SCHWARZ, RICHARD H. (*see* CROMBLEHOLME ET AL.), 168
SCIALABBA, M. A. (*see* RUBINO and SCIALABBA), 103
SCULLY, ROBERT (*see* NOLLER ET AL.), 279
SEILER, JEFFREY C. Factors influencing the outcome of microsurgical tubal ligation reversals, 292
SEKIYA, S., KAIHO, T., SHIROTAKE, S., IWASAWA, H., TAKEDA, B., and TAKAMIZAWA, H. Effect of methotrexate on the growth and human chorionic gonadotropin secretion of human choriocarcinoma cell lines in vitro, 57
SELF, SALLY E. (*see* WOLFMAN, PUROHIT, and SELF), 468
SELVARAJ, RATNAM J. (*see* SBARRA ET AL.), 622
SENICAS, V. M. (*see* LIS ET AL.), 575
SEPPÄLÄ, MARKKU (*see* HEIKINHEIMO and SEPPÄLÄ), 766
SERON-FERRE, M. (*see* TAYLOR ET AL.), 557
SEVER, JOHN L. (*see* LARSEN ET AL.), 958
SHARMA, OPENDRA K. (*see* BOREK, SHARMA, and BREWER), 906
SHEPARD, MARK D. (*see* BRANDES ET AL.), 800
SHEPPARD, BRIAN L., and BONNAR, JOHN. The effects of intrauterine contraceptive devices on the ultrastructure of the endometrium in relation to bleeding complications, 829
SHINGLETON, HUGH M. (*see* ORR ET AL.), 882
SHIROTAKE, S. (*see* SEKIYA ET AL.), 57
SHOKES, LESLIE (*see* CRAFT ET AL.), 429
SIASSI, BIJAN (*see* DEVORE, SIASSI, and PLATT), 792
SIBAI, BAHA M., ANDERSON, GARLAND D., ABDELLA, THOMAS N., MCCUBBIN, JACK H., and DILTS, PRESTON V., JR. Eclampsia. III. Neonatal outcome, growth, and development, 307
SIMPSON, EVAN R. (*see* CARR ET AL.), 241
SIMPSON, JOE LEIGH, ELIAS, SHERMAN, MARTIN, ALICE O., PALMER, MARY S., OGATA, EDWARD S., and RADVANY, RUTA A. Diabetes in pregnancy, Northwestern University Series (1977-1981). I. Prospective study of anomalies in offspring of mothers with diabetes mellitus, 263
SIRMANS, MEREDITH F. (*see* REECE ET AL.), 323
SKRET, A. (*see* KUŹNIAR, PIELA, and SKRET), 400
SMITH, MICHAEL R. Vaginal aplasia: Therapeutic options, 486
SOEPATMI, S. (*see* SCHUTTE ET AL.), 395
SOKOL, ROBERT J. (*see* PHILIPSON, SOKOL, and WILLIAMS), 271
—(*see* GROSS ET AL.), 236
SOONG, SENG JAW (*see* ORR ET AL.), 882
SOWERS, SHERRIN G., REISH, RODNEY L., and BURTON, BARBARA K. Fetal sex-related differences in maternal serum α-fetoprotein during the second trimester of pregnancy, 786
—(*see* BURTON, SOWERS, and NELSON), 439
SPIELMAN, FRED J., HULKA, JAROSLAV F., OSTHEIMER, GERARD W., and MUELLER, ROBERT A. Pharmacokinetics and pharmacodynamics of local analgesia for laparoscopic tubal ligations, 821
SPINAPOLICE, RONALD X., FELD, STEVEN, and HARRIGAN, JOHN T. Effective prevention of gestational hypertension in nulliparous women at high risk as identified by the rollover test, 166
STAGNO, SERGIO (*see* VOLPI ET AL.), 813
STARKSEN, NEIL F., BELL, WILLIAM R., and KICKLER, THOMAS S. Unexplained hemolytic anemia associated with pregnancy, 617
STEMPEL, LAURENCE E. (*see* RICHARDS, CHANG, and STEMPEL), 1
STOLTE, L. A. M. (*see* UTTENDORFSKY ET AL.), 222
STOSKOPF, CORT G. (*see* RETTENMAIER ET AL.), 471
STREISSGUTH, ANN PYTKOWICZ (*see* LITTLE ET AL.), 23
STROBINO, DONNA M. (*see* HORON, STROBINO, and MACDONALD), 444
STRUMMER, D. (*see* LONDON ET AL.), 630
STUBBLEFIELD, PHILLIP G. (*see* LINN ET AL.), 136
SURWIT, EARL A., ALBERTS, DAVID S., CRISP, WILLIAM, JACKSON, RALPH A., GROZEA, PETRE N., and LEIGH, SUSAN. Multiagent chemotherapy in relapsing ovarian cancer, 613
SUSA, JOHN B. (*see* COWETT ET AL.), 773, 781
SWEET, RICHARD L., YONEKURA, MARGARET LYNN, HILL, GALE, GIBBS, RONALD S., and ESCHENBACH, DAVID A. Appropriate use of antibiotics in serious obstetric and gynecologic infections, 719
SYRACUSE, CAROL B. (*see* PHILIPSON ET AL.), 16
SZETO, HAZEL H. Effects of narcotic drugs on fetal behavioral activity: Acute methadone exposure, 211

T

TABSH, KHALIL (*see* KAROW ET AL.), 339
TAKAHASHI, KATSUYUKI, MINATO, KEIICHI, IKENO, NOBUKO, WATANABE, MASAAKI, ENDO, HIROSHI, and YAMAMOTO, HIRONAO. Variation of serum prolactin-releasing activity in women with the galactorrhea-amenorrhea syndrome after bromocriptine treatment, 74
TAKAMIZAWA, H. (*see* SEKIYA ET AL.), 57
TAKEDA, B. (*see* SEKIYA ET AL.), 57
TAMIMI, HISHAM K. (*see* FIGGE ET AL.), 495
TANG, G. W. K. (*see* LIANG, WOO, and TANG), 988
TANG, VINCENT W., and FAIMAN, CHARLES. Premature ovarian failure: A search for circulating factors against gonadotropin receptors, 816
TAVOLONI, NICOLA (*see* BRANDES ET AL.), 800
TAYLOR, N. F., MARTIN, M. C., NATHANIELSZ, P. W., and SERON-FERRE, M. The fetus determines circadian oscillation of myometrial electromyographic activity in the pregnant rhesus monkey, 557
TAYLOR, NANCY A. (*see* MIYAZAKI and TAYLOR), 670
TAYLOR, PEYTON T. (*see* ORR ET AL.), 882
THOMAS, GAIL (*see* SBARRA ET AL.), 622
THOMSEN, ANDERS C., HANSEN, K. BROGAARD, and MØLLER, BIRGER R. Leukocyte counts and microbiologic cultivation in the diagnosis of puerperal mastitis, 938
THORNTON, W. NORMAN, JR. (*see* PETERS ET AL.), 285
THOUMSIN, H. (*see* SCHAAPS, THOUMSIN, and LAMBOTTE), 105
THURNAU, GARY R., DYER, ALAN, DEPP, O. RICHARD, III, and MARTIN, ALICE O. The development of a profile scoring system for early identification and severity assessment of pregnancy-induced hypertension, 406
TODD, HERBERT M. (*see* LEE ET AL.), 930
TODD, W. DUANE (*see* REECE ET AL.), 323
TOWNSEND, DUANE E. (*see* NOLLER ET AL.), 279
TRACEY, KEVIN J. (*see* ACKER ET AL.), 220
TRANMER, JOAN (*see* BRIEN ET AL.), 181
TRAVERS, HELEN, SCHWARTZMAN, MORTON, and BENKE, PAUL J. False positive prenatal diagnosis of cystic fibrosis by protease assay, 338 (Comm. in brief)
TREFFERS, P. E. (*see* SCHUTTE ET AL.), 395
TREVOR, ANTHONY J. (*see* CRAFT ET AL.), 429
TSAI, MICHAEL Y., JOSEPHSON, MARK W., and KNOX, G. ERIC. Absorbance of amniotic fluid at 650 nm as a fetal lung maturity test: A comparison with the lecithin/sphingomyelin ratio and tests for disaturated phosphatidylcholine and phosphatidylglycerol, 963
TWIGGS, LEO B., CLARK, BARBARA A., and OKAGAKI, TAKASHI. Basal cell pseudopodia and the degree of maturation of squamous metaplasia of the uterine cervix: A morphometric quantification, 69
—(*see* GAO ET AL.), 299

U

UMSTOT, EDWARD S. (*see* WILD ET AL.), 602
UTTENDORFSKY, O. TH., JANSSEN, T. H. M., VEERSEMA, D., and STOLTE, L. A. M. Blood pressure measurements during pregnancy: Circadian rhythm, 222 (Comm. in brief)

V

VALLEJOS, J. (*see* LONDON ET AL.), 630
VANDORSTEN, JAMES P. (*see* LENKE, VANDORSTEN, and SCHIFRIN), 953

VAN PETTEN, G. R. (*see* COTTLE, VAN PETTEN, and VAN MUYDEN), 678, 686
VARAKIAN, LUCIK (*see* ABBOUD ET AL.), 927
VARGYAS, JOYCE M. (*see* MARRS ET AL.), 477
VARNER, MICHAEL W. (*see* CRUIKSHANK ET AL.), 204
VAUQUELIN, GEORGES (*see* BOTTARI ET AL.), 639
VEERSEMA, D. (*see* UTTENDORFSKY ET AL.), 222
VELLIOS, FRANK (*see* GAL ET AL.), 316
VENUS, I. (*see* JEANTY ET AL.), 593
VILLAR, JOSÉ (*see* BELIZÁN ET AL.), 175
VOKAER, ALAIN (*see* BOTTARI ET AL.), 639
VOLPI, ANTONIO, LAKEMAN, ALFRED D., PEREIRA, LENORE, and STAGNO, SERGIO. Monoclonal antibodies for rapid diagnosis and typing of genital herpes infections during pregnancy, 813

W

WAGER, GAEL P. Toxic shock syndrome: A review, 93 (Current developments)
WAH, ROBERT M. (*see* KIRK and WAH), 512
WALLACE, ROGER L. (*see* GIMOVSKY ET AL.), 34
WATANABE, MASAAKI (*see* TAKAHASHI ET AL.), 74
WATSON, PETER (*see* NEILSON ET AL.), 526
WAYNE, JOHN B. (*see* GOLDENBERG ET AL.), 450
WEEKS, K. D., JR. (*see* FITZ, WEEKS, and DUFF), 467
WEINER, STUART (*see* BATZER ET AL.), 973
WEINRAUB, ZVI (*see* CASPI ET AL.), 106
WEINSTEIN, ROBERT A., BOYER, KENNETH M., and LINN, EDWARD S. Isolation guidelines for obstetric patients and newborn infants, 353 (Clinical opinion)
WESTRA, DONALD F. (*see* FAYEZ ET AL.), 371
WEXLER, SHRAGA (*see* GOLAN ET AL.), 708
WHEELER, JAMES M., and MALINAK, L. RUSSELL. Recurrent endometriosis: Incidence, management, and prognosis, 247
WHEELER, R. G., and SCHNEIDER, KEITH. Properties and safety of cervical dilators, 597
WILD, ROBERT A., UMSTOT, EDWARD S., ANDERSEN, RICHARD N., RANNEY, GIPSIE B., and GIVENS, JAMES R. Androgen parameters and their correlation with body weight in one hundred thirty-eight women thought to have hyperandrogenism, 602
WILLCOURT, ROBIN J., KING, JEFFREY C., and QUEENAN, JOHN T. Maternal oxygenation administration and the fetal transcutaneous Po_2, 714 (Comm. in brief)
WILLIAMS, MARY C. (*see* NEWBURGER ET AL.), 80
WILLIAMS, THOMAS (*see* PHILIPSON, SOKOL, and WILLIAMS), 271
WILSON, MARGARET (*see* GROSS ET AL.), 236
WINKEL, CRAIG A. (*see* FLAHERTY ET AL.), 760
WISE, WILLIAM E. (*see* ACKER ET AL.), 220
WISER, WINFRED L. (*see* MARTIN ET AL.), 255
WITTER, FRANK R., and GRAHAM, DAVID. The utility of ultrasonically measured umbilical vein diameters in isoimmunized pregnancies, 225 (Comm. in brief)
WOLFMAN, WENDY L., PUROHIT, DILIP M., and SELF, SALLY E. Umbilical vein thrombosis at 32 weeks' gestation with delivery of a living infant, 468 (Comm. in brief)
WOO, J. S. K. (*see* LIANG, WOO, and TANG), 988
WOODY, JAMES (*see* GOLD ET AL.), 980

Y

YAMAMOTO, HIRONAO (*see* TAKAHASHI ET AL.), 74
YONEKURA, M. LYNN (*see* CRAFT ET AL.), 429
—(*see* SWEET ET AL.), 719
YOUNG, RONALD (*see* KIRKLAND ET AL.), 380
YU, WINSTON C. Y. (*see* GAO ET AL.), 299
YUSSMAN, M. A. (*see* RAO ET AL.), 65

Z

ZALAZAR, AMELY (*see* BELIZÁN ET AL.), 175
ZINGERY, LEWIS W. (*see* DUFF ET AL.), 112
ZLATNIK, FRANK J., and BURMEISTER, LEON F. Dietary protein in pregnancy: Effect on anthropometric indices of the newborn infant, 199
ZUSPAN, FREDERICK P. (*see* RICHARDS and ZUSPAN), 108
—(*see* CORDERO, ANDERSON, and ZUSPAN), 126

Subject index*

A

Abdominal placenta, resorption of, use of gallium scanning and determination of human chorionic gonadotropin to evaluate (Rettenmaier et al.), 471 (Comm. in brief)
pregnancy, medical antigravity suit for management of surgically uncontrollable bleeding associated with (Sandberg and Pelligra), 519
Abortion, early, diameter of cervical internal os after induction of, by laminaria or rigid dilatation (Caspi et al.), 106 (Comm. in brief)
induced, and outcome of subsequent pregnancies, relationship between (Linn et al.), 136
instillation, urea-prostaglandin versus hypertonic saline for (Binkin et al.), 947
Abruptio placentae associated with cocaine use (Acker et al.), 220 (Comm. in brief)
use of ultrasound in expectant management of (Rivera-Alsina et al.), 924
Abscess, scalp: benign and infrequent complication of fetal monitoring (Cordero, Anderson, and Zuspan), 126 (Clinical opinion)
Acephalus acardia, antenatal diagnosis of: proposed management scheme (Platt et al.), 857 (Comm. in brief)
Adenocarcinoma of endometrium, selective use of vaginal hysterectomy in management of (Peters et al.), 285
Stage I endometrial: treatment results in 835 patients (Lotocki et al.), 141
Adhesions, postoperative, evaluation of commonly used adjuvants in prevention of (Luciano, Hauser, and Benda), 88
Adolescent and young adult women, birth weights among infants born to (Horon, Strobino, and MacDonald), 444
Adrenergic (α_2-) receptors, identification and characterization of, in human myometrium by [^{3}H]rauwolscine binding (Bottari et al.), 639
Age, advance maternal, oocyte sensitivity to induced meiotic nondisjunction and its relationship to (Golbus), 435
Alabama, neonatal deaths in. II. Policy and research implications derived from comparison of birth weight–specific state and medical center neonatal mortality rates (Goldenberg et al.), 450
Alcohol intake and smoking, maternal, effects of, on neonatal electroencephalogram and anthropometric measurements (Chernick, Childiaeva, and Ioffe), 41
use and pregnancy, change in obstetrician advice following two-year community educational program on (Little et al.), 23
Amenorrhea-galactorrhea syndrome, variation of serum prolactin-releasing activity in women with, after bromocriptine treatment (Takahashi et al.), 74
Amniocentesis, midtrimester (Cruikshank et al.), 204
technique, your, how to improve (Jeanty et al.), 593 (Clinical opinion)
Amnioinfusion, saline, for relief of variable or prolonged decelerations (Miyazaki and Taylor), 670
Amniotic band syndrome in monozygotic twins (Fiedler and Phelan), 864 (Comm. in brief)
fluid, absorbance of, at 650 nm as fetal lung maturity test: comparison with lecithin/sphingomyelin ratio and tests for disaturated phosphatidylcholine and phosphatidylglycerol (Tsai, Josephson, and Knox), 963
embolism, intrapartum, hemodynamic observations in patient with (Duff et al.), 112 (Comm. in brief)
β-endorphin and β-lipotropin concentrations during second and third trimesters (Petrucha et al.), 644
human chorionic gonadotropin in late pregnancy: elevated levels in toxemia with intrauterine growth retardation (Heikinheimo and Seppälä), 766
N-terminal peptide of pro-opiomelanocortin in (Lis et al.), 575
vitamin B_{12}–binding proteins in: index to fetal maturity (Grossowicz, Jablonska, and Beyth), 331 (Comm. in brief)
lung profile, contribution of fetal kidney to (Hill, Breckle, and Ellefson), 709 (Comm. in brief)
and maternal venous blood, human, disposition of ethanol in (Brien et al.), 181
use of obstetric perineal pads in collection of, in patients with rupture of membranes (Golde), 710 (Comm. in brief)
volume and maternal plasma volume expansion, relationship between (Goodlin, Anderson, and Gallagher), 505
Analgesia, local, for laparoscopic tubal ligations, pharmacokinetics and pharmacodynamics of (Spielman et al.), 821
"And having writ, moves on" (Pearse), 233
Androgen parameters and their correlation with body weight in one hundred thirty-eight women thought to have hyperandrogenism (Wild et al.), 602
Anemia, unexplained hemolytic, associated with pregnancy (Starksen, Bell, and Kickler), 617
Anesthesia, general and regional, for cesarean section, effects of induction of, on maternal plasma β-endorphin levels (Aboud et al.), 927
intrapartum paracervical block, with 2-chloroprocaine (Philipson et al.), 16
Angiotensin II, differential sensitivity to, in pregnant rabbits (McLaughlin, Quinn, and Farnham), 633
Anomalies in offspring of mothers with diabetes mellitus, prospective study of, I. Diabetes in pregnancy, Northwestern University series (1977-1981) (Simpson et al.), 263
Antenatal cardiotocography, quality of survival of infants with critical fetal reserve detected by (Beischer et al.), 662
diagnosis of acephalus acardia: proposed management scheme (Platt et al.), 857 (Comm. in brief)
sonographic findings of thanatophoric dysplasia with cloverleaf skull (Chervenak et al.), 984 (Comm. in brief)
Antepartum fetal heart rate variability and intervillous placental blood flow in association with smoking (Rauramo et al.), 967
Anthropometric indices of newborn infant, effect on: dietary protein in pregnancy (Zlatnik and Burmeister), 199
measurements and electroencephalogram, neonatal, effects of maternal alcohol intake and smoking on (Chernick, Childiaeva, and Ioffe), 41
Antibiotics, appropriate use of, in serious obstetric and gynecologic infections (Sweet et al.), 719
β-lactam, aztreonam, first of unique class of: in vitro activity (Brumfitt et al.), 712 (Comm. in brief)
Antibody(ies), *Chlamydia trachomatis*, and intrauterine contraceptive device use, evidence of prior pelvic inflammatory disease and its relationship to, in infertile women (Gump, Gibson, and Ashikaga), 153
monoclonal, for rapid diagnosis and typing of genital herpes infections during pregnancy (Volpi et al.), 813
murine monoclonal, raised against human epithelial ovarian carcinoma cell line and rabbit heteroantiserum, comparison of (Berkowitz et al.), 607
to type III group B *Streptococcus* in rhesus monkey (Larsen et al.), 958
Antigens, major histocompatibility (HLA), distribution of, in chorionic villi of molar pregnancy (Berkowitz et al.), 221 (Comm. in brief)
Antigravity suit, medical, for management of surgically uncontrollable bleeding associated with abdominal pregnancy (Sandberg and Pelligra), 519
Antipyrine, glucose, and inulin, application to studies of fetomaternal transfer of: new recycling technique for human placental cotyledon perfusion (Brandes et al.), 800
Aortic dissection, failure of serial echocardiographic studies to predict, in pregnant patient with Marfan's syndrome (Rosenblum et al.), 470 (Comm. in brief)
Aplasia, vaginal: therapeutic options (Smith), 488
Arrhythmias, cardiac, diagnosis of, using real-time–directed M-mode ultrasound, III. Fetal echocardiography (DeVore, Siassi, and Platt), 792
Asphyxia, intrauterine, important cause of: occult group B streptococcal infection (Peevy and Chalhub), 989 (Comm. in brief)
Aspiration cytology, breast: neglected gynecologic procedure (Hindle and Navin), 482
Aspirin, correction of pregnancy-related thrombocytopenia with, without improvement in fetal outcome (Goodlin), 862 (Comm. in brief)
Assay, protease, false positive prenatal diagnosis of cystic fibrosis by (Travers, Schwartzman, and Benke), 338 (Comm. in brief)
Autonomic nervous system and fetal heart rate variability (Dalton, Dawes, and Patrick), 456
Autotransfusion in gynecologic hemoperitoneum (Curtis), 501

May 1, 1-124; May 15, 125-232; June 1, 233-352; June 15, 353-476; July 1, 477-592; July 15, 593-748; August 1, 749-876; August 15, 877-1018.

Aztreonam, first of unique class of β-lactam antibiotics: in vitro activity (Brumfitt et al.), 712 (Comm. in brief)

B

Basal cell pseudopodia and degree of maturation of squamous metaplasia of uterine cervix: morphometric quantification (Twiggs, Clark, and Okagaki), 69
Behavioral activity, fetal, effects of narcotic drugs on: acute methadone exposure (Szeto), 211
Bicornuate uterus, diagnosis of symmetrical growth retardation by serial ultrasound and serum human chorionic gonadotropin measurements in: case report (Karow et al.), 339 (Comm. in brief)
Birth, previous cesarean, vaginal delivery following (Martin et al.), 255
weight(s) among infants born to adolescent and young adult women (Horon, Strobino, and MacDonald), 444
–specific state and medical center neonatal mortality rates, policy and research implications derived from comparison of, II. Neonatal deaths in Alabama (Goldenberg et al.), 450
Birthing chair, postpartum vulvar edema associated with (Goodlin and Frederick), 334 (Comm. in brief)
Bleeding complications, effects of intrauterine contraceptive devices on ultrastructure of endometrium in relation to (Sheppard and Bonnar), 829
surgically uncontrollable, associated with abdominal pregnancy, medical antigravity suit for management of (Sandberg and Pelligra), 519
Blood flow, intervillous placental, and antepartum fetal heart rate variability in association with smoking (Rauramo et al.), 967
uteroplacental, and cardiac output in diet-restricted and diet-repleted pregnant rats (Ahokas, Anderson, and Lipshitz), 6
human, stability of human chorionic gonadotropin and its alpha subunit in (Rao et al.), 65
maternal venous, and amniotic fluid, human, disposition of ethanol in (Brien et al.), 181
pressure measurements during pregnancy: circadian rhythm (Uttendorfsky et al.), 222 (Comm. in brief)
preliminary evidence of effect of calcium supplementation on, in normal pregnant women (Belizán et al.), 175
sampling, fetal, in utero, new procedure for: preliminary results of fifty-three cases (Caffos, Capella-Pavlovsky, and Forestier), 985 (Comm. in brief)
Board certification: past, present, and future (Dignam), 253
Body movements, gross fetal, effect of induced maternal hypercapnia on (O'Grady et al.), 52
Books received, 123, 747, 995
Breast aspiration cytology: neglected gynecologic procedure (Hindle and Navin), 482
Breech fetus weighing less than 1,500 grams, cesarean section versus vaginal delivery for (Main, Main, and Maurer), 580
presentation, nonfrank, at term, randomized management of: preliminary report (Gimovsky et al.), 34
Bromocriptine, continuous administration of, in prevention of neurological complications in pregnant women with prolactinomas (Konopka et al.), 935
treatment, variation of serum prolactin-releasing activity in women with galactorrhea-amenorrhea syndrome after (Takahashi et al.), 74

C

Calcium supplementation, preliminary evidence of effect of, on blood pressure in normal pregnant women (Belizán et al.), 175
Cambridge Diet, ominous left-sided pelvic mass in young women associated with (Growdon), 987 (Comm. in brief)
Cancer, cervical, rapid onset of, in upper socioeconomic group (Bain and Crocker), 366
endometrial, role of estrogens and progesterone in etiology and prevention of: review (Gambrell, Bagnell, and Greenblatt), 696 (Current developments)
treatment variables in management of (Figge et al.), 495
relapsing ovarian, multiagent chemotherapy in (Surwit et al.), 613
Carbon dioxide laser, experience with, in gynecologic microsurgery (Kelly and Roberts), 585
tubal microsurgery with (Fayez et al.), 371
Carcinoma cell line, human epithelial ovarian, murine monoclonal antibody raised against, comparison of rabbit heteroantiserum and (Berkowitz et al.), 607
early invasive, of uterine cervix, prognostic factors in (Larsson et al.), 145
hepatocellular, metastatic to ovary: case report (Oortman and Elliott), 715 (Comm. in brief)
Carcinoma—Cont'd
ovarian, significance of lymphadenectomy in therapy of (Burghardt et al.), 111 (Comm. in brief)
primary cervical, cytoplasmic estrogen and progesterone receptors in: clinical and histopathologic correlates (Gao et al.), 299
Cardiac arrhythmias, diagnosis of, using real-time–directed M-mode ultrasound, III. Fetal echocardiography (DeVore, Siassi, and Platt), 792
catheterization pelvic hematoma: new etiology for pelvic mass (Richards and Zuspan), 108 (Comm. in brief)
output, effect of posture on, in late pregnancy complicated by pericardial constriction (Blake et al.), 865 (Comm. in brief)
and uteroplacental blood flow in diet-restricted and diet-repleted pregnant rats (Ahokas, Anderson, and Lipshitz), 6
Cardiotocography, antenatal, quality of survival of infants with critical fetal reserve detected by (Beischer et al.), 662
Cardiovascular homeostasis, vasopressin is important for restoring, in fetal lambs subjected to hemorrhage (Kelly et al.), 807
indices, maternal and fetal, during fetal hypoxia due to cord compression in chronically cannulated sheep. I. Responses to timolol (Cottle, Van Petten, and van Muyden), 678
II. Responses to promazine (Cottle, Van Petten, and van Muyden), 686
Catecholamines, fetal (Phillippe), 840 (Current developments)
ketamine, and uterine tone in pregnant ewes (Craft et al.), 429
plasma and urinary, during human ovulatory cycle (Goldstein, Levinson, and Keiser), 824
Catheter, modified Foley, clinical evaluation of (Rubino and Scialabba), 103 (Comm. in brief)
Catheterization pelvic hematoma, cardiac: new etiology for pelvic mass (Richards and Zuspan), 108 (Comm. in brief)
Cefoxitin, pharmacokinetics of, in patients at term gestation: lavage versus intravenous administration (Flaherty et al.), 760
Cell line(s), human choriocarcinoma, effect of methotrexate on growth and human chorionic gonadotropin secretion of, in vitro (Sekiya et al.), 57
epithelial ovarian carcinoma, murine monoclonal antibody raised against, comparison of rabbit heteroantiserum and (Berkowitz et al.), 607
pseudopodia, basal, and degree of maturation of squamous metaplasia of uterine cervix: morphometric quantification (Twiggs, Clark, and Okagaki), 69
Central Association of Obstetricians and Gynecologists (The), transactions, fiftieth annual meeting, 233-322
Cephalic version, external, with tocolysis, umbilical cord prolapse following (Lehman), 983 (Comm. in brief)
Cerclage, cervical: aggressive approach to threatened or recurrent pregnancy wastage (Crombleholme et al.), 168
Certification, Board: past, present, and future (Dignam), 253
Cervical cancer, rapid onset of, in upper socioeconomic group (Bain and Crocker), 366
carcinoma, primary, cytoplasmic estrogen and progesterone receptors in: clinical and histopathologic correlates (Gao et al.), 299
cerclage: aggressive approach to threatened or recurrent pregnancy wastage (Crombleholme et al.), 168
conization: when is uterine dilatation and curettage also indicated (Helmkamp et al.), 893
dilators, properties and safety of (Wheeler and Schneider), 597
internal os, diameter of, after induction of early abortion by laminaria or rigid dilatation (Caspi et al.), 106 (Comm. in brief)
os dilatation, internal and external, with vaginal 15-methyl prostaglandin $F_{2\alpha}$ (Fayemi et al.), 219 (Comm. in brief)
ripening, preinduction, comparison of prostaglandin E_2 gel and prostaglandin $F_{2\alpha}$ gel for (Neilson et al.), 526
and vaginal epithelium, maturation of, in women exposed in utero to diethylstilbestrol (DESAD Project) (Noller et al.), 279
Cervix, uterine, degree of maturation of squamous metaplasia of, and basal cell pseudopodia: morphometric quantification (Twiggs, Clark, and Okagaki), 69
prognostic factors in early invasive carcinoma of (Larsson et al.), 145
statement of caution in interpretation of papillomavirus-associated lesions of epithelium of, 125 (Guest editorial)
and vagina, method for clearing smoke during laser surgery of (Marsden, McDonald, and Cavanagh), 109 (Comm. in brief)
Cesarean birth, previous, vaginal delivery following (Martin et al.), 255
section delivery, double-blind, randomized comparison of moxalactam versus clindamycin-gentamicin in treatment of endomyometritis after (Gibbs et al.), 769

Cesarean section—Cont'd
effects of induction of general and regional anesthesia for, on maternal plasma β-endorphin levels (Abboud et al.), 927
morbidity, postoperative: prospective study (Nielsen and Hökegård), 911
versus vaginal delivery for breech fetus weighing less than 1,500 grams (Main, Main, and Maurer), 580
Chair, birthing, postpartum vulvar edema associated with (Goodlin and Frederick), 334 (Comm. in brief)
Chemotherapy, multiagent, in relapsing ovarian cancer (Surwit et al.), 613
Childhood dermatomyositis and pregnancy (Barnes and Link), 335 (Comm. in brief)
Chlamydia trachomatis antibody and intrauterine contraceptive device use, evidence of prior pelvic inflammatory disease and its relationship to, in infertile women (Gump, Gibson, and Ashikaga), 153
Chloroprocaine (2-), intrapartum paracervical block anesthesia with (Philipson et al.), 16
Cholesterol, low-density lipoprotein–, and cholesterol synthesized de novo as steroid precursor: regulation of human fetal testicular secretion of testosterone (Carr et al.), 241
Cholestyramine administration, effect of, during pregnancy in rat (Innis), 13
Chorioamnionitis, recurrent, and maternal septicemia: case of successful in utero therapy (Monif), 334 (Comm. in brief)
Choriocarcinoma cell lines, human, effect of methotrexate on growth and human chorionic gonadotropin secretion of, in vitro (Sekiya et al.), 57
Chorionic villi of molar pregnancy, distribution of major histocompatibility (HLA) antigens in (Berkowitz et al.), 221 (Comm. in brief)
Circadian oscillation of myometrial electromyographic activity, fetus determines, in pregnant rhesus monkey (Taylor et al.), 557
rhythm: blood pressure measurements during pregnancy (Uttendorfsky et al.), 222 (Comm. in brief)
Clindamycin-gentamicin versus moxalactam, double-blind, randomized comparison of, in treatment of endomyometritis after cesarean section delivery (Gibbs et al.), 769
Clinical opinion, 126-130, 353-360, 593-596, 749-755, 877-881
Cloverleaf skull, antenatal sonographic findings of thanatophoric dysplasia with (Chervenak et al.), 984 (Comm. in brief)
Cocaine use, abruptio placentae associated with (Acker et al.), 220 (Comm. in brief)
Communications in brief, 103-115, 217-226, 331-344, 463-473, 708-718, 856-867, 982-991
Conization, cervical: when is uterine dilatation and curettage also indicated (Helmkamp et al.), 893
Cord compression, maternal and fetal cardiovascular indices during fetal hypoxia due to, in chronically cannulated sheep. I. Responses to timolol (Cottle, Van Petten, and van Muyden), 678
II. Responses to promazine (Cottle, Van Petten, and van Muyden), 686
Correspondence, 116-122, 227-232, 345-351, 474-475, 740-746, 868-874, 992-994
Cortisol, luteinizing hormone, follicle-stimulating hormone, prolactin, and testosterone, female runners', immediate effect on: marathon (Hale et al.), 550
Cotyledon perfusion, human placental, new recycling technique for: application to studies of fetomaternal transfer of glucose, inulin, and antipyrine (Brandes et al.), 800
Creatinine kinase activity in human endometrium: relative distribution in isolated glands and stroma (Satyaswaroop and Mortel), 159
Curettage, uterine dilatation and, when is also indicated: cervical conization (Helmkamp et al.), 893
Current developments, 93-102, 323-330, 696-707, 840-855
Cystic fibrosis, false positive prenatal diagnosis of, by protease assay (Travers, Schwartzman, and Benke), 338 (Comm. in brief)
Cytology, breast aspiration: neglected gynecologic procedure (Hindle and Navin), 482
Cytoplasmic estrogen and progesterone receptors in primary cervical carcinoma: clinical and histopathologic correlates (Gao et al.), 299

D

Deaths attributable to tubal sterilization in United States, 1977 to 1981 (Peterson et al.), 131
neonatal, in Alabama. II. Policy and research implications derived from comparison of birth weight–specific state and medical center neonatal mortality rates (Goldenberg et al.), 450
Decelerations, variable or prolonged, saline amnioinfusion for relief of (Miyazaki and Taylor), 670
Delivery, cesarean section, double-blind, randomized comparison of moxalactam versus clindamycin-gentamicin in treatment of endomyometritis after (Gibbs et al.), 769
of living infant, umbilical vein thrombosis at 32 weeks' gestation with (Wolfman, Purohit, and Self), 468 (Comm. in brief)
preterm, and significant neonatal morbidity, relationship to: transient tachypnea of newborn (Gross et al.), 236
vaginal, following previous cesarean birth (Martin et al.), 255
versus cesarean section for breech fetus weighing less than 1,500 grams (Main, Main, and Maurer), 580
Dermatomyositis, childhood, and pregnancy (Barnes and Link), 335 (Comm. in brief)
DESAD Project (maturation of vaginal and cervical epithelium in women exposed in utero to diethylstilbestrol) (Noller et al.), 279
Desensitization, oral, in Rh disease (Gold et al.), 980
Diabetes in pregnancy, Northwestern University series (1977-1981). I. Prospective study of anomalies in offspring of mothers with diabetes mellitus (Simpson et al.), 263
Diabetic mothers, glucose kinetics in infants of (Cowett et al.), 781
and nondiabetic women, glucose kinetics in, during third trimester of pregnancy (Cowett et al.), 773
and normal pregnancies, alterations of maternal metabolism in: differences in insulin-dependent, non–insulin-dependent, and gestational diabetes (Hollingsworth), 417
pregnancy and intrauterine growth retardation: two types of fetal malnutrition (Saintonge and Coté), 194
Diet-restricted and diet-repleted pregnant rats, cardiac output and uteroplacental blood flow in (Ahokas, Anderson, and Lipshitz), 6
Dietary protein in pregnancy: effect on anthropometric indices of newborn infant (Zlatnik and Burmeister), 199
sodium manipulation and vascular responsiveness during pregnancy in rabbit (Lee et al.), 930
Diethylstilbestrol, maturation of vaginal and cervical epithelium in women exposed in utero to diethylstilbestrol (DESAD Project) (Noller et al.), 279
Dilatation and curettage, uterine, when is also indicated: cervical conization (Helmkamp et al.), 893
internal and external cervical os, with vaginal 15-methyl prostaglandin $F_{2\alpha}$ (Fayemi et al.), 219 (Comm. in brief)
rigid, or laminaria, diameter of cervical internal os after induction of early abortion by (Caspi et al.), 106 (Comm. in brief)
Dilators, cervical, properties and safety of (Wheeler and Schneider), 597
Disease(s), prior pelvic inflammatory, evidence of, and its relationship to *Chlamydia trachomatis* antibody and intrauterine contraceptive device use in infertile women (Gump, Gibson, and Ashikaga), 153
recurrent, prospective randomized trial to prevent, evaluating suppressive therapy with nitrofurantoin and close surveillance: pyelonephritis in pregnancy (Lenke, VanDorsten, and Schifrin), 953
Rh, oral desensitization in (Gold et al.), 980
trophoblastic, urinary nucleic acid breakdown products as markers for (Borek, Sharma, and Brewer), 906
Dissection, aortic, failure of serial echocardiographic studies to predict, in pregnant patient with Marfan's syndrome (Rosenblum et al.), 470 (Comm. in brief)
Dives, simulated, lack of harmful effects from, in pregnant sheep (Bolton-Klug et al.), 48
Drugs, narcotic, effects of, on fetal behavioral activity: acute methadone exposure (Szeto), 211
Dysplasia, thanatophoric, with cloverleaf skull, antenatal sonographic findings of (Chervenak et al.), 984 (Comm. in brief)

E

Echocardiographic study(ies): left ventricular function in preeclamptic patients (Kuźniar, Piela, and Skręt), 400
serial, failure of, to predict aortic dissection in pregnant patient with Marfan's syndrome (Rosenblum et al.), 470 (Comm. in brief)
Echocardiography, fetal. III. The diagnosis of cardiac arrhythmias using real-time–directed M-mode ultrasound (DeVore, Siassi, and Platt), 792
Eclampsia. III. Neonatal outcome, growth, and development (Sibai et al.), 307
Ectopic pregnancy, β-subunit of human chorionic gonadotropin, and ultrasound: prospective study (Bryson), 163

Edema, postpartum vulvar, associated with birthing chair (Goodlin and Frederick), 334 (Comm. in brief)
Educational program, two-year community, on alcohol use and pregnancy, change in obstetrician advice following (Little et al.), 23
Electroencephalogram and anthropometric measurements, neonatal, effects of maternal alcohol intake and smoking on (Chernick, Childiaeva, and Ioffe), 41
Electromyographic activity, myometrial, fetus determines circadian oscillation of, in pregnant rhesus monkey (Taylor et al.), 557
Electron microscopic study, scanning and transmission, of surfaces of intrauterine contraceptive devices (Marrie and Costerton), 384
Embolism, intrapartum amniotic fluid, hemodynamic observations in patient with (Duff et al.), 112 (Comm. in brief)
  recurrent pulmonary, during pregnancy, adjusted-dose heparin therapy by continuous intravenous infusion for (Cohen, Gabbe, and Mennuti), 463 (Comm. in brief)
Endocrinology, gynecologic, and infertility clinic, use of patient-interactive microcomputer system to obtain histories in (Lilford, Glyn-Evans, and Chard), 374
Endometrial adenocarcinoma, Stage I: treatment results in 835 patients (Lotocki et al.), 141
  cancer, role of estrogens and progesterone in etiology and prevention of: review (Gambrell, Bagnell, and Greenblatt), 696 (Current developments)
    treatment variables in management of (Figge et al.), 495
  hyperplasia, long-term effect of megestrol acetate in treatment of (Gal et al.), 316
Endometriosis presenting as inguinal hernia (Brzezinski and Durst), 982 (Comm. in brief)
  recurrent: incidence, management, and prognosis (Wheeler and Malinak), 247
Endometrium, adenocarcinoma of, selective use of vaginal hysterectomy in management of (Peters et al.), 285
  effects of intrauterine contraceptive devices on ultrastructure of, in relation to bleeding complications (Sheppard and Bonnar), 829
  human, creatine kinase activity in: relative distribution in isolated glands and stroma (Satyaswaroop and Mortel), 159
  and myometrium, human, evidence for triiodothyronine receptors in (Kirkland et al.), 380
Endomyometritis after cesarean section delivery, double-blind, randomized comparison of moxalactam versus clindamycin-gentamicin in treatment of (Gibbs et al.), 769
Endorphin (β-) levels, maternal plasma, effects of induction of general and regional anesthesia for cesarean section on (Abboud et al.), 927
  and β-lipotropin concentrations, amniotic fluid, during second and third trimesters (Petrucha et al.), 644
Epithelial ovarian carcinoma cell line, human, murine monoclonal antibody raised against, comparison of rabbit heteroantiserum and (Berkowitz et al.), 607
Epithelium of uterine cervix, statement of caution in interpretation of papillomavirus-associated lesions of, 125 (Guest editorial)
  vaginal and cervical, maturation of, in women exposed in utero to diethylstilbestrol (DESAD Project) (Noller et al.), 279
Erratum, 574
Escherichia coli, attachment of, to human spermatozoa (Friberg and Fullan), 465 (Comm. in brief)
Estradiol administration, transdermal, estrogen replacement therapy by (Laufer et al.), 533
Estriol concentrations, serum unconjugated, before and after oxytocin challenge test: index of fetal well-being (London et al.), 630
  in saliva as index of fetoplacental function (Huang et al.), 336 (Comm. in brief)
Estrogen(s) and progesterone receptors, cytoplasmic, in primary cervical carcinoma; clinical and histopathologic correlates (Gao et al.), 299
    role of, in etiology and prevention of endometrial cancer: review (Gambrell, Bagnell, and Greenblatt), 696 (Current developments)
  replacement therapy by transdermal estradiol administration (Laufer et al.), 533
Ethanol, disposition of, in human maternal venous blood and amniotic fluid (Brien et al.), 181
Ethinyl estradiol and its three sulfates, pharmacokinetics and metabolism of, in baboon (Newburger et al.), 80
Exenteration, pelvic, hemodynamic parameters following (Orr et al.), 882
Extrauterine and intrauterine gestations, combined: review (Reece et al.), 323 (Current developments)

F

Fertilization research, human in vitro, clinical applications of techniques used in (Marrs et al.), 577
Fetal behavioral activity, effects of: acute methadone exposure (Szeto), 211
  blood sampling in utero, new procedure for: preliminary results of fifty-three cases (Caffos, Capella-Pavlovsky, and Forestier), 985 (Comm. in brief)
  body movements, gross, effect of induced maternal hypercapnia on (O'Grady et al.), 52
  catecholamines (Phillippe), 840 (Current developments)
  echocardiography. III. The diagnosis of cardiac arrhythmias using real-time–directed M-mode ultrasound (DeVore, Siassi, and Platt), 792
  heart rate variability, antepartum, and intervillous placental blood flow in association with smoking (Rauramo et al.), 967
    and autonomic nervous system (Dalton, Dawes, and Patrick), 456
    midtrimester, and maternal hemodynamics in association with smoking (Forss et al.), 693
  kidney, contribution of, to amniotic fluid lung profile (Hill, Breckle, and Ellefson), 709 (Comm. in brief)
  lambs subjected to hemorrhage, vasopressin is important for restoring cardiovascular homeostasis in (Kelly et al.), 807
  lung maturity test, absorbance of amniotic fluid at 650 nm as: comparison with lecithin/sphingomyelin ratio and tests for disaturated phosphatidylcholine and phosphatidylglycerol (Tsai, Josephson, and Knox), 963
  malnutrition, two types of: intrauterine growth retardation and diabetic pregnancy (Saintonge and Coté), 194
  and maternal cardiovascular indices during fetal hypoxia due to cord compression in chronically cannulated sheep. I. Responses to timolol (Cottle, Van Petten, and van Muyden), 678
    II. Responses to promazine (Cottle, Van Petten, and van Muyden), 686
  -placental barrier, elevated maternal serum α-fetoprotein levels associated with breakdown in (Berkeley, Killackey, and Cederqvist), 859 (Comm. in brief)
  maturity, index to: vitamin B_{12}–binding proteins in human amniotic fluid (Grossowicz, Jablonska, and Beyth), 331 (Comm. in brief)
  monitoring, benign and infrequent complication of: scalp abscess (Cordero, Anderson, and Zuspan), 126 (Clinical opinion)
  movements in multiple pregnancy (Samueloff, Evron, and Sadovsky), 789
  outcome, correction of pregnancy-related thrombocytopenia with aspirin without improvement in (Goodlin), 862 (Comm. in brief)
  reserve, critical, detected by antenatal cardiotocography, quality of survival of infants with (Beischer et al.), 662
  sex–related differences in maternal serum α-fetoprotein during second trimester of pregnancy (Sowers, Reish, and Burton), 786
  testicular secretion, human, of testosterone, regulation of: low-density lipoprotein–cholesterol and cholesterol synthesized de novo as steroid precursor (Carr et al.), 241
  transcutaneous Po_2 and maternal oxygenation administration (Willcourt, King, and Queenan), 714 (Comm. in brief)
  well-being, index of: serum unconjugated estriol concentrations before and after oxytocin challenge test (London et al.), 630
Fetomaternal transfer of glucose, inulin, and antipyrine, application to studies of: new recycling technique for human placental cotyledon perfusion (Brandes et al.), 800
Fetoplacental function, estriol in saliva as index of (Huang et al.), 336 (Comm. in brief)
Fetoprotein (α-), elevated maternal serum, associated with Potter's syndrome (Freling, Kawada, and Blake), 218 (Comm. in brief)
  levels, elevated maternal serum, associated with breakdown in fetal-maternal-placental barrier (Berkeley, Killackey, and Cederqvist), 859 (Comm. in brief)
  low maternal, clinical significance of (Davenport and Macri), 657
  maternal serum, fetal sex–related differences in, during second trimester of pregnancy (Sowers, Reish, and Burton), 786
  screening, maternal serum, in North Carolina: experience with more than twelve thousand pregnancies (Burton, Sowers, and Nelson), 439
Fetus, breech, weighing less than 1,500 grams, cesarean section versus vaginal delivery for (Main, Main, and Maurer), 580
  determines circadian oscillation of myometrial electromyographic activity in pregnant rhesus monkey (Taylor et al.), 557

Fetus—Cont'd
with omphalocele or gastroschisis, obstetric management of: review and report of one hundred twelve cases (Kirk and Wah), 512
Fever, does ritodrine cause (Hankins and Leveno), 110 (Comm. in brief)
Foley catheter, modified, clinical evaluation of (Rubino and Scialabba), 103 (Comm. in brief)
Follicle-stimulating hormone, prolactin, testosterone, cortisol, and luteinizing hormone levels, female runners', immediate effect on: marathon (Hale et al.), 550
Frank (non-) breech presentation at term, randomized management of: preliminary report (Gimovsky et al.), 34

G

Galactorrhea-amenorrhea syndrome, variation of serum prolactin-releasing activity in women with, after bromocriptine treatment (Takahashi et al.), 74
Gallium scanning and determination of human chorionic gonadotropin, use of, to evaluate resorption of abdominal placenta (Rettenmaier et al.), 471 (Comm. in brief)
Gastroschisis or omphalocele, obstetric management of fetus with: review and report of one hundred twelve cases (Kirk and Wah), 512
Genital herpes infections, monoclonal antibodies for rapid diagnosis and typing of, during pregnancy (Volpi et al.), 813
Gentamicin-clindamycin versus moxalactam, double-blind, randomized comparison of, in treatment of endomyometritis after cesarean section delivery (Gibbs et al.), 769
Gestation(s), combined intrauterine and extrauterine: review (Reece et al.), 323 (Current developments)
landmarks during first forty-two days of, demonstrated by β-subunit of human chorionic gonadotropin and ultrasound (Batzer et al.), 973
term, pharmacokinetics of cefoxitin in patients at: lavage versus intravenous administration (Flaherty et al.), 760
32 weeks', umbilical vein thrombosis at, with delivery of living infant (Wolfman, Purohit, and Self), 468 (Comm. in brief)
twin, rate of early intrauterine growth in (Iffy et al.), 970
Gestational hypertension, effective prevention of, in nulliparous women at high risk as identified by rollover test (Spinapolice, Feld, and Harrigan), 166
insulin-dependent, and non–insulin-dependent diabetes, differences in: alterations of maternal metabolism in normal and diabetic pregnancies (Hollingsworth), 417
Glands and stroma, isolated, relative distribution in: creatine kinase activity in human endometrium (Satyaswaroop and Mortel), 159
Glucose, inulin, and antipyrine, application to studies of fetomaternal transfer of: new recycling technique for human placental cotyledon perfusion (Brandes et al.), 800
kinetics in infants of diabetic mothers (Cowett et al.), 781
in nondiabetic and diabetic women during third trimester of pregnancy (Cowett et al.), 773
Gonadotropin receptors, search for circulating factors against: premature ovarian failure (Tang and Faiman), 816
Grading, ultrasonic placental, failure of, to predict severe respiratory distress in neonate (Gast and Ott), 464 (Comm. in brief)
Grief support team, role of, following stillbirth (Lake et al.), 877 (Clinical opinion)
Growth, early intrauterine, rate of, in twin gestation (Iffy et al.), 970
and human chorionic gonadotropin secretion of human choriocarcinoma cell lines in vitro, effect of methotrexate on (Sekiya et al.), 57
retardation, symmetrical, diagnosis of, by serial ultrasound and serum human chorionic gonadotropin measurements in bicornuate uterus: case report (Karow et al.), 339 (Comm. in brief)
Guest editorial, 125
Gynecologic endocrinology and infertility clinic, use of patient-interactive microcomputer system to obtain histories in (Lilford, Glyn-Evans, and Chard), 374
hemoperitoneum, autotransfusion in (Curtis), 501
microsurgery, experience with carbon dioxide laser in (Kelly and Roberts), 585
and obstetric infections, serious, appropriate use of antibiotics in (Sweet et al.), 719
patients, one hundred seventy-four, referred for urodynamic investigation, prevalence and pattern of unstable urethral pressure in (Kulseng-Hanssen), 895
procedure, neglected: breast aspiration cytology (Hindle and Navin), 482
Gynecology and obstetrics programs, United States, survey of men and women residents entering, in 1981 (Margolis, Greenwood, and Heilbron), 541

H

Heart rate variability, antepartum fetal, and intervillous placental blood flow in association with smoking (Rauramo et al.), 967
fetal, and autonomic nervous system (Dalton, Dawes, and Patrick), 454
midtrimester fetal, and maternal hemodynamics in association with smoking (Forss et al.), 693
Hematoma, cardiac catheterization pelvic: new etiology for pelvic mass (Richards and Zuspan), 108 (Comm. in brief)
Hemodynamic(s), maternal, and midtrimester fetal heart rate variability in association with smoking (Forss et al.), 693
observations in patient with intrapartum amniotic fluid embolism (Duff et al.), 112 (Comm. in brief)
Hemolytic anemia, unexplained, associated with pregnancy (Starksen, Bell, and Kickler), 617
uremic syndrome, postpartum (Jones, Bowker, and Diblasi), 856 (Comm. in brief)
Hemoperitoneum, gynecologic, autotransfusion in (Curtis), 501
Hemorrhage, delayed postpartum, prostaglandin $F_{2\alpha}$ in management of (Andrinopoulos and Mendenhall), 217 (Comm. in brief)
vasopressin is important for restoring cardiovascular homeostasis in fetal lambs subjected to (Kelly et al.), 807
Heparin therapy, adjusted-dose, by continuous intravenous infusion for recurrent pulmonary embolism during pregnancy (Cohen, Gabbe, and Mennuti), 463 (Comm. in brief)
Hepatocellular carcinoma metastatic to ovary: case report (Oortman and Elliott), 715 (Comm. in brief)
Hernia, inguinal, endometriosis presenting as (Brzezinski and Durst), 982 (Comm. in brief)
Herpes infections, genital, monoclonal antibodies for rapid diagnosis and typing of, during pregnancy (Volpi et al.), 813
Heteroantiserum, rabbit, and murine monoclonal antibody raised against human epithelial ovarian carcinoma cell line, comparison of (Berkowitz et al.), 607
Histocompatibility (HLA) antigens, major, distribution of, in chorionic villi of molar pregnancy (Berkowitz et al.), 221 (Comm. in brief)
Histories, use of patient-interactive microcomputer system to obtain, in infertility and gynecologic endocrinology clinic (Lilford, Glyn-Evans, and Chard), 374
Homeostasis, cardiovascular, vasopressin is important for restoring, in fetal lambs subjected to hemorrhage (Kelly et al.), 807
Human chorionic gonadotropin, amniotic fluid, in late pregnancy: elevated levels in toxemia with intrauterine growth retardation (Heikinheimo and Seppälä), 766
determination of, and gallium scanning, use of, to evaluate resorption of abdominal placenta (Rettenmaier et al.), 471 (Comm. in brief)
and its alpha subunit, stability of, in human blood (Rao et al.), 65
measurements, serum, and serial ultrasound, diagnosis of symmetrical growth retardation by, in bicornuate uterus: case report (Karow et al.), 339 (Comm. in brief)
secretion and growth of human choriocarcinoma cell lines in vitro, effect of methotrexate on (Sekiya et al.), 57
β-subunit of, ultrasound, and ectopic pregnancy: prospective study (Bryson), 163
landmarks during first forty-two days of gestation demonstrated by (Batzer et al.), 973
Hydroxyprogesterone caproate (17α-), effect of, on pregnancy outcome in active-duty military population (Hauth et al.), 187
Hyperandrogenism, androgen parameters and their correlation with body weight in one hundred thirty-eight women thought to have (Wild et al.), 602
Hypercapnia, induced maternal, effect of, on gross fetal body movements (O'Grady et al.), 52
Hypergonadotropism with pregnancy (Ataya et al.), 341 (Comm. in brief)
Hyperlactacidemia associated with acute ritodrine infusion (Richards, Chang, and Stempel), 1
Hyperplasia, endometrial, long-term effect of megestrol acetate in treatment of (Gal et al.), 316
Hypertension, gestational, effective prevention of, in nulliparous women at high risk as identified by rollover test (Spinapolice, Feld, and Harrigan), 166
Hypertonic saline versus urea-prostaglandin for instillation abortion (Binkin et al.), 947

Hypoxia, fetal, due to cord compression, maternal and fetal cardiovascular indices during, in chronically cannulated sheep. I. Responses to timolol (Cottle, Van Petten, and van Muyden), 678
II. Responses to promazine (Cottle, Van Petten, and van Muyden), 686
Hypoxic pulmonary vasoconstriction, ritodrine inhibition of (Conover, Benumof, and Key), 652
Hysterectomy, vaginal, selective use of, in management of adenocarcinoma of endometrium (Peters et al.), 285

I

Immature teratoma of ovary (Gallion et al.), 361
Infant(s) born to adolescent and young adult women, birth weights among (Horon, Strobino, and MacDonald), 444
of diabetic mothers, glucose kinetics in (Cowett et al.), 781
living, umbilical vein thrombosis at 32 weeks' gestation with delivery of (Wolfman, Purohit, and Self), 468 (Comm. in brief)
newborn, effect on anthropometric indices of: dietary protein in pregnancy (Zlatnik and Burmeister), 199
and obstetric patients, isolation guidelines for (Weinstein, Boyer, and Linn), 353 (Clinical opinion)
risk of vaginal examination to: management of premature rupture of membranes (Schutte et al.), 395
with critical fetal reserve detected by antenatal cardiotocography, quality of survival of (Beischer et al.), 662
Intrauterine asphyxia, important cause of: occult group B streptococcal infection (Peevy and Chalhub), 989 (Comm. in brief)
contraceptive device(s), effects of, on ultrastructure of endometrium in relation to bleeding complications (Sheppard and Bonnar), 829
scanning and transmission electron microscopic study of surfaces of (Marrie and Costerton), 384
use and *Chlamydia trachomatis* antibody, evidence of prior pelvic inflammatory disease and its relationship to, in infertile women (Gump, Gibson, and Ashikaga), 153
and extrauterine gestations, combined: review (Reece et al.), 323 (Current developments)
growth, early, rate of, in twin gestation (Iffy et al.), 970
retardation, clinical association and predictive value for: oligohydramnios (Philipson, Sokol, and Williams), 271
and diabetic pregnancy: two types of fetal malnutrition (Saintonge and Cotè), 194
elevated levels in toxemia with: amniotic fluid human chorionic gonadotropin in late pregnancy (Heikinheimo and Seppälä), 766
unilateral nephrostomy (Schaaps, Thoumsin, and Lambotte), 105 (Comm. in brief)
Infection(s), genital herpes, monoclonal antibodies for rapid diagnosis and typing of, during pregnancy (Volpi et al.), 813
occult group B streptococcal: important cause of intrauterine asphyxia (Peevy and Chalhub), 989 (Comm. in brief)
serious obstetric and gynecologic, appropriate use of antibiotics in (Sweet et al.), 719
Infertile women, evidence of prior pelvic inflammatory disease and its relationship to *Chlamydia trachomatis* antibody and intrauterine contraceptive device use in (Gump, Gibson, and Ashikaga), 153
Infertility and gynecologic endocrinology clinic, use of patient-interactive microcomputer system to obtain histories in (Lilford, Glyn-Evans, and Chard), 374
and retroversion (Barr and Barr), 990 (Comm. in brief)
Inguinal hernia, endometriosis presenting as (Brzezinski and Durst), 982 (Comm. in brief)
Insulin-dependent, non–insulin-dependent, and gestational diabetes, differences in: alterations of maternal metabolism in normal and diabetic pregnancies (Hollingsworth), 417
Interstitial pregnancy: early diagnosis by ultrasonography (Auslender et al.), 717 (Comm. in brief)
Intervillous placental blood flow and antepartum fetal heart rate variability in association with smoking (Rauramo et al.), 967
Intrapartum amniotic fluid embolism, hemodynamic observations in patient with (Duff et al.), 112 (Comm. in brief)
paracervical block anesthesia with 2-chloroprocaine (Philipson et al.), 16
Intravenous administration versus lavage: pharmacokinetics of cefoxitin in patients at term gestation (Flaherty et al.), 760
infusion, continuous, adjusted-dose heparin therapy by, for recurrent pulmonary embolism during pregnancy (Cohen, Gabbe, and Mennuti), 463 (Comm. in brief)
Inulin, antipyrine, and glucose, application to studies of fetomaternal transfer of: new recycling technique for human placental cotyledon perfusion (Brandes et al.), 800
Invasive carcinoma, early, of uterine cervix, prognostic factors in (Larsson et al.), 145
Iron kinetics, altered, of toxemia of pregnancy, clinical applications of (Entman and Richardson), 568
Ischemia, myocardial: complication of ritodrine tocolysis (Michalak, Klein, and Marquette), 861 (Comm. in brief)
Isoimmunization, rhesus, preventing (Hensleigh), 749 (Clinical opinion)
Isoimmunized pregnancies, utility of ultrasonically measured umbilical vein diameters in (Witter and Graham), 225 (Comm. in brief)
Isolation guidelines for obstetric patients and newborn infants (Weinstein, Boyer, and Linn), 353 (Clinical opinion)
Items, 124, 352, 476, 592, 748, 875-876, 996

K

Ketamine, catecholamines, and uterine tone in pregnant ewes (Craft et al.), 429
Kidney, fetal, contribution of, to amniotic fluid lung profile (Hill, Breckle, and Ellefson), 709 (Comm. in brief)

L

Labor, human, phagocytosis and onset of (Sbarra et al.), 622
Lactam (β-) antibiotics, aztreonam, first of unique class of: in vitro activity (Brumfitt et al.), 712 (Comm. in brief)
Laminaria or rigid dilatation, diameter of cervical internal os after induction of early abortion by (Caspi et al.), 106 (Comm. in brief)
tent, displaced, ultrasonic localization of (Liang, Woo, and Tang), 988 (Comm. in brief)
Laparoscopic findings in patients with pelvic pain (Cunanan, Courey, and Lippes), 589
tubal ligations, pharmacokinetics and pharmacodynamics of local analgesia for (Spielman et al.), 821
Laser, carbon dioxide, experience with, in gynecologic microsurgery (Kelly and Roberts), 585
tubal microsurgery with (Fayez et al.), 371
surgery of vagina and cervix, method for clearing smoke during (Marsden, McDonald, and Cavanagh), 109 (Comm. in brief)
Lavage versus intravenous administration: pharmacokinetics of cefoxitin in patients at term gestation (Flaherty et al.), 760
Lecithin/sphingomyelin ratio and tests for disaturated phosphatidylcholine and phosphatidylglycerol, comparison with: absorbance of amniotic fluid at 650 nm as fetal lung maturity test (Tsai, Josephson, and Knox), 963
Lesions, papillomavirus-associated, of epithelium of uterine cervix, statement of caution in interpretation of, 125 (Guest editorial)
Leukocyte counts and microbiologic cultivation in diagnosis of puerperal mastitis (Thomsen, Hansen, and Moller), 938
Ligation(s), laparoscopic tubal, pharmacokinetics and pharmacodynamics of local analgesia for (Spielman et al.), 821
reversals, microsurgical tubal, factors influencing outcome of (Seiler), 292
Lipoprotein, low-density, –cholesterol and cholesterol synthesized de novo as steroid precursor: regulation of human fetal testicular secretion of testosterone (Carr et al.), 241
Lipotropin (β-) and β-endorphin concentrations, amniotic fluid, during second and third trimesters (Petrucha et al.), 644
Lung maturity test, fetal, absorbance of amniotic fluid at 650 nm as: comparison with lecithin/sphingomyelin ratio and tests for disaturated phosphatidylcholine and phosphatidylglycerol (Tsai, Josephson, and Knox), 963
profile, amniotic fluid, contribution of fetal kidney to (Hill, Breckle, and Ellefson), 709 (Comm. in brief)
Luteinizing hormone, follicle-stimulating hormone, prolactin, testosterone, and cortisol levels, female runners', immediate effect on: marathon (Hale et al.), 550
Lymphadenectomy, significance of, in therapy of ovarian carcinoma (Burghardt et al.), 111 (Comm. in brief)

M

Magnesium sulfate, maternally administered, effects of, on neonate (Green et al.), 29

Malnutrition, fetal, two types of: intrauterine growth retardation and diabetic pregnancy (Saintonge and Coté), 194
Marathon: immediate effect on female runners' luteinizing hormone, follicle-stimulating hormone, prolactin, testosterone, and cortisol levels (Hale et al.), 550
Marfan's syndrome, failure of serial echocardiographic studies to predict aortic dissection in pregnant patient with (Rosenblum et al.), 470 (Comm. in brief)
Mass, pelvic, new etiology for: cardiac catheterization pelvic hematoma (Richards and Zuspan), 108 (Comm. in brief)
ominous left-sided, in young woman associated with Cambridge Diet (Growdon), 987 (Comm. in brief)
Mastitis, puerperal, leukocyte counts and microbiologic cultivation in diagnosis of (Thomsen, Hansen, and Moller), 938
Maternal age, advanced, oocyte sensitivity to induced meiotic nondisjunction and its relationship to (Golbus), 435
alcohol intake and smoking, effects of, on neonatal electroencephalogram and anthropometric measurements (Chernick, Childiaeva, and Ioffe), 41
and fetal cardiovascular indices during fetal hypoxia due to cord compression in chronically cannulated sheep. I. Responses to timolol (Cottle, Van Petten, and van Muyden), 678
II. Responses to promazine (Cottle, Van Petten, and van Muyden), 686
hemodynamics and midtrimester fetal heart rate variability in association with smoking (Forss et al.), 693
hypercapnia, induced, effect of, on gross fetal body movements (O'Grady et al.), 52
metabolism, alterations of, in normal and diabetic pregnancies: differences in insulin-dependent, non–insulin-dependent, and gestational diabetes (Hollingsworth), 417
oxygenation administration and fetal transcutaneous Po_2 (Willcourt, King, and Queenan), 714 (Comm. in brief)
plasma β-endorphin levels, effects of induction of general and regional anesthesia for cesarean section on (Abboud et al.), 927
volume and amniotic fluid volume, relationship between (Goodlin, Anderson, and Gallagher), 505
septicemia and recurrent chorioamnionitis: case of successful in utero therapy (Monif), 334 (Comm. in brief)
serum α-fetoprotein, elevated, associated with Potter's syndrome (Freling, Kawada, and Blake), 218 (Comm. in brief)
fetal sex–related differences in, during second trimester of pregnancy (Sowers, Reish, and Burton), 786
levels, elevated, associated with breakdown in fetal-maternal-placental barrier (Berkeley, Killackey, and Cederqvist), 859 (Comm. in brief)
low, clinical significance of (Davenport and Macri), 657
in North Carolina: experience with more than twelve thousand pregnancies (Burton, Sowers, and Nelson), 439
venous blood and amniotic fluid, human, disposition of ethanol in (Brien et al.), 181
Maternally administered magnesium sulfate, effects of, on neonate (Green et al.), 29
Maturation of squamous metaplasia of uterine cervix, degree of, and basal cell pseudopodia: morphometric quantification (Twiggs, Clark, and Okagaki), 69
of vaginal and cervical epithelium in women exposed in utero to diethylstilbestrol (DESAD Project) (Noller et al.), 279
Maturity, fetal, index to: vitamin B_{12}–binding proteins in human amniotic fluid (Grossowicz, Jablonska, and Beyth), 331 (Comm. in brief)
test, fetal lung, absorbance of amniotic fluid at 650 nm as: comparison with lecithin/sphingomyelin ratio and tests for disaturated phosphatidylcholine and phosphatidylglycerol (Tsai, Josephson, and Knox), 963
Megestrol acetate, long-term effect of, in treatment of endometrial hyperplasia (Gal et al.), 316
Meiotic nondisjunction, induced, oocyte sensitivity to, and its relationship to advanced maternal age (Golbus), 435
Membranes, rupture of, use of obstetric perineal pads in collection of amniotic fluid in patients with (Golde), 710 (Comm. in brief)
Metabolism, maternal, alterations of, in normal and diabetic pregnancies: differences in insulin-dependent, non–insulin-dependent, and gestational diabetes (Hollingsworth), 417
and pharmacokinetics of ethinyl estradiol and its three sulfates in baboon (Newburger et al.), 80
Metaplasia, squamous, of uterine cervix, degree of maturation of, and basal cell pseudopodia: morphometric quantification (Twiggs, Clark, and Okagaki), 69
Metastatic to ovary, hepatocellular carcinoma: case report (Oortman and Elliott), 715 (Comm. in brief)
Methadone exposure, acute: effects of narcotic drugs on fetal behavioral activity (Szeto), 211
Methotrexate, effect of, on growth and human chorionic gonadotropin secretion of human choriocarcinoma cell lines in vitro (Sekiya et al.), 57
Microbiologic cultivation and leukocyte counts in diagnosis of puerperal mastitis (Thomsen, Hansen, and Møller), 938
Microcomputer system, patient-interactive, use of, to obtain histories in infertility and gynecologic endocrinology clinic (Lilford, Glyn-Evans, and Chard), 374
Microsurgery, gynecologic, experience with carbon dioxide laser in (Kelly and Roberts), 585
tubal, with carbon dioxide laser (Fayez et al.), 371
Microsurgical tubal ligation reversals, factors influencing outcome of (Seiler), 292
Military population, active-duty, effect of 17α-hydroxyprogesterone caproate on pregnancy outcome in (Hauth et al.), 187
Molar pregnancy, distribution of major histocompatibility (HLA) antigens in chorionic villi of (Berkowitz et al.), 221 (Comm. in brief)
Monitoring, fetal; benign and infrequent complication of: scalp abscess (Cordero, Anderson, and Zuspan), 126 (Clinical opinion)
Monoclonal antibody(ies), murine, raised against human epithelial ovarian carcinoma cell line and rabbit heteroantiserum, comparison of (Berkowitz et al.), 607
for rapid diagnosis and typing of genital herpes infections during pregnancy (Volpi et al.), 813
Monozygotic twins, amniotic band syndrome in (Fiedler and Phelan), 864 (Comm. in brief)
Morbidity, postoperative cesarean section: prospective study (Nielsen and Hökegård), 911
significant neonatal, and preterm delivery, relationship to: transient tachypnea of newborn (Gross et al.), 236
Morphometric quantification: basal cell pseudopodia and degree of maturation of squamous metaplasia of uterine cervix (Twiggs, Clark, and Okagaki), 69
Mothers, diabetic, glucose kinetics in infants of (Cowett et al.), 781
with diabetes mellitus, prospective study of anomalies in offspring of, I. Diabetes in pregnancy, Northwestern University series (1977-1981) (Simpson et al.), 263
Movements, fetal, in multiple pregnancy (Samueloff, Evron, and Sadovsky), 789
gross fetal body, effect of induced maternal hypercapnia on (O'Grady et al.), 52
Moxalactam versus clindamycin-gentamicin, double-blind, randomized comparison of, in treatment of endomyometritis after cesarean section delivery (Gibbs et al.), 769
Multiple pregnancy, fetal movements in (Samueloff, Evron, and Sadovsky), 789
Murine monoclonal antibody raised against human epithelial ovarian carcinoma cell line and rabbit heteroantiserum, comparison of (Berkowitz et al.), 607
Myocardial ischemia: complication of ritodrine tocolysis (Michalak, Klein, and Marquette), 861 (Comm. in brief)
Myometrial electromyographic activity, fetus determines circadian oscillation of, in pregnant rhesus monkey (Taylor et al.), 557
Myometrium and endometrium, human, evidence for triiodothyronine receptors in (Kirkland et al.), 380
human, identification and characterization of α_2-adrenergic receptors in, by [^{3}H]rauwolscine binding (Bottari et al.), 639

N

Narcotic drugs, effects of, on fetal behavioral activity: acute methadone exposure (Szeto), 211
Neonatal deaths in Alabama. II. Policy and research implications derived from comparison of birth weight–specific state and medical center neonatal mortality rates (Goldenberg et al.), 450
electroencephalogram and anthropometric measurements, effects of maternal alcohol intake and smoking on (Chernick, Childiaeva, and Ioffe), 41
morbidity, significant, and preterm delivery, relationship to: transient tachypnea of newborn (Gross et al.), 236
outcome, growth, and development, III. Eclampsia (Sibai et al.), 307
Neonate, effects of maternally administered magnesium sulfate on (Green et al.), 29
failure of ultrasonic placental grading to predict severe respiratory distress in (Gast and Ott), 464 (Comm. in brief)

Nephrostomy, intrauterine unilateral (Schaaps, Thoumsin, and Lambotte), 105 (Comm. in brief)
Nervous system, autonomic, and fetal heart rate variability (Dalton, Dawes, and Patrick), 456
Neurological complications, continuous administration of bromocriptine in prevention of, in pregnant women with prolactinomas (Konopka et al.), 935
Newborn infant(s), effect on anthropometric indices of: dietary protein in pregnancy (Zlatnik and Burmeister), 199
and obstetric patients, isolation guidelines for (Weinstein, Boyer, and Linn), 353 (Clinical opinion)
transient tachypnea of: relationship to preterm delivery and significant neonatal morbidity (Gross et al.), 236
Nitrofurantoin and close surveillance, prospective randomized trial to prevent recurrent disease evaluating suppressive therapy with: pyelonephritis in pregnancy (Lenke, VanDorsten, and Schifrin), 953
Nondisjunction, induced meiotic, oocyte sensitivity to, and its relationship to advanced maternal age (Golbus), 435
North Carolina, maternal serum α-fetoprotein screening in: experience with more than twelve thousand pregnancies (Burton, Sowers, and Nelson), 439
Northwestern University series (1977-1981), diabetes in pregnancy. I. Prospective study of anomalies in offspring of mothers with diabetes mellitus (Simpson et al.), 263
Nucleic acid breakdown products, urinary, as markers for trophoblastic diseases (Borek, Sharma, and Brewer), 906
Nulliparous women at high risk as identified by rollover test, effective prevention of gestational hypertension in (Spinapolice, Feld, and Harrigan), 166

O

Obstetric(s) and gynecologic infections, serious, appropriate use of antibiotics in (Sweet et al.), 719
and gynecology programs, United States, survey of men and women residents entering, in 1981 (Margolis, Greenwood, and Heilbron), 541
management of fetus with omphalocele or gastroschisis: review and report of one hundred twelve cases (Kirk and Wah), 512
patients and newborn infants, isolation guidelines for (Weinstein, Boyer, and Linn), 353 (Clinical opinion)
perineal pads, use of, in collection of amniotic fluid in patients with rupture of membranes (Golde), 710 (Comm. in brief)
Obstetrician advice, change in, following two-year community educational program on alcohol use and pregnancy (Little et al.), 23
Offspring of mothers with diabetes mellitus, prospective study of anomalies in, I. Diabetes in pregnancy, Northwestern University series (1977-1981) (Simpson et al.), 263
Oligohydramnios: clinical association and predictive value for intrauterine growth retardation (Philipson, Sokol, and Williams), 271
Omphalocele or gastroschisis, obstetric management of fetus with: review and report of one hundred twelve cases (Kirk and Wah), 512
Oocyte sensitivity to induced meiotic nondisjunction and its relationship to advanced maternal age (Golbus), 435
Oral desensitization in Rh disease (Gold et al.), 980
Os, cervical internal, diameter of, after induction of early abortion by laminaria or rigid dilatation (Caspi et al.), 106 (Comm. in brief)
dilatation, internal and external cervical, with vaginal 15-methyl prostaglandin $F_{2\alpha}$ (Fayemi et al.), 219 (Comm. in brief)
Ovarian cancer, relapsing, multiagent chemotherapy in (Surwit et al.), 613
carcinoma cell line, human epithelial, murine monoclonal antibody raised against, comparison of rabbit heteroantiserum and (Berkowitz et al.), 607
significance of lymphadenectomy in therapy of (Burghardt et al.), 111 (Comm. in brief)
failure, premature: search for circulating factors against gonadotropin receptors (Tang and Faiman), 816
Ovary, hepatocellular carcinoma metastatic to: case report (Oortman and Elliott), 715 (Comm. in brief)
immature teratoma of (Gallion et al.), 361
Ovulatory cycle, human, plasma and urinary catecholamines during (Goldstein, Levinson, and Keiser), 824
Oxygenation administration, maternal, and fetal transcutaneous Po_2 (Willcourt, King, and Queenan), 714 (Comm. in brief)
Oxytocin challenge test, serum unconjugated estriol concentrations before and after: index of fetal well-being (London et al.), 630

P

Pacific Coast Obstetrical and Gynecological Society, transactions, forty-ninth annual meeting, 477-556
Pain, pelvic, laparoscopic findings in patients with (Cunanan, Courey, and Lippes), 589
Papillomavirus-associated lesions of epithelium of uterine cervix, statement of caution in interpretation of, 125 (Guest editorial)
Paracervical block anesthesia, intrapartum, with 2-chloroprocaine (Philipson et al.), 16
Pelvic exenteration, hemodynamic parameters following (Orr et al.), 882
inflammatory disease, prior, evidence of, and its relationship to *Chlamydia trachomatis* antibody and intrauterine contraceptive device use in infertile women (Gump, Gibson, and Ashikaga), 153
mass, new etiology for: cardiac catheterization pelvic hematoma (Richards and Zuspan), 108 (Comm. in brief)
ominous left-sided, in young woman associated with Cambridge Diet (Growdon), 987 (Comm. in brief)
pain, laparoscopic findings in patients with (Cunanan, Courey, and Lippes), 589
Peptide, N-terminal, of pro-opiomelanocortin in human amniotic fluid (Lis et al.), 575
Pericardial constriction, effect of posture on cardiac output in late pregnancy complicated by (Blake et al.), 865 (Comm. in brief)
Perineal pads, obstetric, use of, in collection of amniotic fluid in patients with rupture of membranes (Golde), 710 (Comm. in brief)
Phagocytosis and onset of human labor (Sbarra et al.), 622
Phosphatidylcholine, disaturated, and phosphatidylglycerol, lecithin/sphingomyelin ratio and tests for, comparison with: absorbance of amniotic fluid at 650 nm as fetal lung maturity test (Tsai, Josephson, and Knox), 963
Phosphatidylglycerol and disaturated phosphatidylcholine, lecithin/sphingomyelin ratio and tests for, comparison with: absorbance of amniotic fluid at 650 nm as fetal lung maturity test (Tsai, Josephson, and Knox), 963
Placenta, abdominal, resorption of, use of gallium scanning and determination of human chorionic gonadotropin to evaluate (Rettenmaier et al.), 471 (Comm. in brief)
retained, new method for management of (Golan et al.), 708 (Comm. in brief)
Placental blood flow, intervillous, and antepartum fetal heart rate variability in association with smoking (Rauramo et al.), 967
cotyledon perfusion, human, new recycling technique for: application to studies of fetomaternal transfer of glucose, inulin, and antipyrine (Brandes et al.), 800
grading, ultrasonic, failure of, to predict severe respiratory distress in neonate (Gast and Ott), 464 (Comm. in brief)
-maternal-fetal barrier, elevated maternal serum α-fetoprotein levels associated with breakdown in (Berkeley, Killackey, and Cederqvist), 859 (Comm. in brief)
Plasma β-endorphin levels, maternal, effects of induction of general and regional anesthesia for cesarean section on (Abboud et al.), 927
and urinary catecholamines during human ovulatory cycle (Goldstein, Levinson, and Keiser), 824
volume, maternal, and amniotic fluid volume, relationship between (Goodlin, Anderson, and Gallagher), 505
Po_2, fetal transcutaneous, and maternal oxygenation administration (Willcourt, King, and Queenan), 714 (Comm. in brief)
Porphyria cutanea tarda and pregnancy (Baxi et al.), 333 (Comm. in brief)
Postoperative adhesions, evaluation of commonly used adjuvants in prevention of (Luciano, Hauser, and Benda), 88
cesarean section morbidity: prospective study (Nielsen and Hökegård), 911
Postpartum hemolytic uremic syndrome (Jones, Bowker, and Diblasi), 856 (Comm. in brief)
hemorrhage, delayed, prostaglandin $F_{2\alpha}$ in management of (Andrinopoulos and Mendenhall), 217 (Comm. in brief)
vulvar edema associated with birthing chair (Goodlin and Frederick), 334 (Comm. in brief)
Posture, effect of, on cardiac output in late pregnancy complicated by pericardial constriction (Blake et al.), 865 (Comm. in brief)
Potter's syndrome, elevated maternal serum α-fetoprotein associated with (Freling, Kawada, and Blake), 218 (Comm. in brief)
Preeclamptic patients, left ventricular function in: echocardiographic study (Kuźniar, Piela, and Skręt), 400

Pregnancy(ies), abdominal, medical antigravity suit for management of surgically uncontrollable bleeding associated with (Sandberg and Pelligra), 519
adjusted-dose heparin therapy by continuous intravenous infusion for recurrent pulmonary embolism during (Cohen, Gabbe, and Mennuti), 463 (Comm. in brief)
alcohol use and, change in obstetrician advice following two-year community educational program on (Little et al.), 23
blood pressure measurements during: circadian rhythm (Uttendorfsky et al.), 222 (Comm. in brief)
and childhood dermatomyositis (Barnes and Link), 335 (Comm. in brief)
clinical applications of altered iron kinetics of (Entman and Richardson), 568
diabetes in, Northwestern University series (1977-1981). I. Prospective study of anomalies in offspring of mothers with diabetes mellitus (Simpson et al.), 263
diabetic, and intrauterine growth retardation: two types of fetal malnutrition (Saintonge and Coté), 194
dietary protein in: effect on anthropometric indices of newborn infant (Zlatnik and Burmeister), 199
ectopic, β-subunit of human chorionic gonadotropin, and ultrasound: prospective study (Bryson), 163
effect of cholestyramine administration during, in rat (Innis), 13
fetal sex–related differences in maternal serum α-fetoprotein during second trimester of (Sowers, Reish, and Burton), 786
glucose kinetics in nondiabetic and diabetic women during third trimester of (Cowett et al.), 773
hypergonadotropism with (Ataya et al.), 341 (Comm. in brief)
-induced hypertension, development of profile scoring system for early identification and severity assessment of (Thurnau et al.), 406
presenting with life-threatening thrombocytopenia (Schwartz and Brenner), 756
interstitial: early diagnosis by ultrasonography (Auslender et al.), 717 (Comm. in brief)
isoimmunized, utility of ultrasonically measured umbilical vein diameters in (Witter and Graham), 225 (Comm. in brief)
late, amniotic fluid human chorionic gonadotropin in: elevated levels in toxemia with intrauterine growth retardation (Heikinheimo and Seppälä), 766
complicated by pericardial constriction, effect of posture on cardiac output in (Blake et al.), 865 (Comm. in brief)
long-term experience of general ultrasound screening in (Persson and Kullander), 942
molar, distribution of major histocompatibility (HLA) antigens in chorionic villi of (Berkowitz et al.), 221 (Comm. in brief)
monoclonal antibodies for rapid diagnosis and typing of genital herpes infections during (Volpi et al.), 813
more than twelve thousand, experience with: maternal serum α-fetoprotein screening in North Carolina (Burton, Sowers, and Nelson), 439
multiple, fetal movements in (Samueloff, Evron, and Sadovsky), 789
normal and diabetic, alterations of maternal metabolism in: differences in insulin-dependent, non–insulin-dependent, and gestational diabetes (Hollingsworth), 417
outcome, effect of 17α-hydroxyprogesterone caproate on, in active-duty military population (Hauth et al.), 187
and porphyria cutanea tarda (Baxi et al.), 333 (Comm. in brief)
pyelonephritis in: prospective randomized trial to prevent recurrent disease evaluating suppressive therapy with nitrofurantoin and close surveillance (Lenke, VanDorsten, and Schifrin), 953
in rabbit, dietary sodium manipulation and vascular responsiveness during (Lee et al.), 930
-related thrombocytopenia, correction of, with aspirin without improvement in fetal outcome (Goodlin), 862 (Comm. in brief)
subsequent, outcome of, and induced abortion, relationship between (Linn et al.), 136
unexplained hemolytic anemia associated with (Starksen, Bell, and Kickler), 617
wastage, threatened or recurrent, aggressive approach to: cervical cerclage (Crombleholme et al.), 168
Pregnant baboons, ritodrine hydrochloride infusion in. I. Biophysical effects (Hauth et al.), 916
ewes, ketamine, catecholamines, and uterine tone in (Craft et al.), 429
patient with Marfan's syndrome, failure of serial echocardiographic studies to predict aortic dissection in (Rosenblum et al.), 470 (Comm. in brief)
Pregnant—Cont'd
rabbits, differential sensitivity to angiotensin II in (McLaughlin, Quinn, and Farnham), 633
rats, diet-restricted and diet-repleted, cardiac output and uteroplacental blood flow in (Ahokas, Anderson, and Lipshitz), 6
rhesus monkey, fetus determines circadian oscillation of myometrial electromyographic activity in (Taylor et al.), 557
sheep, lack of harmful effects from simulated dives in (Bolton-Klug et al.), 48
women, normal, preliminary evidence of effect of calcium supplementation on blood pressure in (Belizán et al.), 175
with prolactinomas, continuous administration of bromocriptine in prevention of neurological complications in (Konopka et al.), 935
Premature ovarian failure: search for circulating factors against gonadotropin receptors (Tang and Faiman), 816
rupture of membranes, management of: risk of vaginal examination to infant (Schutte et al.), 395
Prenatal diagnosis, false positive, of cystic fibrosis by protease assay (Travers, Schwartzman, and Benke), 338 (Comm. in brief)
Pro-opiomelanocortin, N-terminal peptide of, in human amniotic fluid (Lis et al.), 575
Progesterone and estrogen(s) receptors, cytoplasmic, in primary cervical carcinoma: clinical and histopathologic correlates (Gao et al.), 299
role of, in etiology and prevention of endometrial cancer: review (Gambrell, Bagnell, and Greenblatt), 696 (Current developments)
Prolactin-releasing activity, serum, variation of, in women with galactorrhea-amenorrhea syndrome after bromocriptine treatment (Takahashi et al.), 74
testosterone, cortisol, luteinizing hormone, and follicle-stimulating hormone levels, female runners', immediate effect on: marathon (Hale et al.), 550
Prolactinomas, continuous administration of bromocriptine in prevention of neurological complications in pregnant women with (Konopka et al.), 935
Prolapse, umbilical cord, following external cephalic version with tocolysis (Lehman), 983 (Comm. in brief)
uterovaginal, effect of, on urethrovesical pressure dynamics (Richardson, Bent, and Ostergard), 901
Promazine, responses to, II. Maternal and fetal cardiovascular indices during fetal hypoxia due to cord compression in chronically cannulated sheep (Cottle, Van Petten, and van Muyden), 686
Prostaglandin E_2 gel and prostaglandin $F_{2\alpha}$ gel, comparison of, for preinduction cervical ripening (Neilson et al.), 526
$F_{2\alpha}$ in management of delayed postpartum hemorrhage (Andrinopoulos and Mendenhall), 217 (Comm. in brief)
vaginal 15-methyl, internal and external cervical os dilatation with (Fayemi et al.), 219 (Comm. in brief)
-urea versus hypertonic saline for instillation abortion (Binkin et al.), 947
Protease assay, false positive prenatal diagnosis of cystic fibrosis by (Travers, Schwartzman, and Benke), 338 (Comm. in brief)
Protein(s), dietary, in pregnancy: effect on anthropometric indices of newborn infant (Zlatnik and Burmeister), 199
vitamin B_{12}–binding, in human amniotic fluid: index to fetal maturity (Grossowicz, Jablonska, and Beyth), 331 (Comm. in brief)
Pseudopodia, basal cell, and degree of maturation of squamous metaplasia of uterine cervix, morphometric quantification (Twiggs, Clark, and Okagaki), 69
Puerperal mastitis, leukocyte counts and microbiologic cultivation in diagnosis of (Thomsen, Hansen, and Møller), 938
Pulmonary embolism, recurrent, during pregnancy, adjusted-dose heparin therapy by continuous intravenous infusion for (Cohen, Gabbe, and Mennuti), 463 (Comm. in brief)
vasoconstriction, hypoxic, ritodrine inhibition of (Conover, Benumof, and Key), 652
Pyelonephritis in pregnancy: prospective randomized trial to prevent recurrent disease evaluating suppressive therapy with nitrofurantoin and close surveillance (Lenke, VanDorsten, and Schifrin), 953

R

Rauwolscine, [^{3}H], binding, identification and characterization of α_2-adrenergic receptors in human myometrium by (Bottari et al.), 639

Receptors, α_2-adrenergic, identification and characterization of, in human myometrium by [^{3}H]rauwolscine binding (Bottari et al.), 639
cytoplasmic estrogen and progesterone, in primary cervical carcinoma: clinical and histopathologic correlates (Gao et al.), 299
gonadotropin, search for circulating factors against: premature ovarian failure (Tang and Faiman), 816
triiodothyronine, in human endometrium and myometrium, evidence for (Kirkland et al.), 380
Relapsing ovarian cancer, multiagent chemotherapy in (Surwit et al.), 613
Residents, men and women, entering United States obstetrics and gynecology programs in 1981, survey of (Margolis, Greenwood, and Heilbron), 541
Resorption of abdominal placenta, use of gallium scanning and determination of human chorionic gonadotropin to evaluate (Rettenmaier et al.), 471 (Comm. in brief)
Respiratory distress, severe, in neonate, failure of ultrasonic placental grading to predict (Gast and Ott), 464 (Comm. in brief)
Retroversion and infertility (Barr and Barr), 990 (Comm. in brief)
Rh disease, oral desensitization in (Gold et al.), 980
Rhesus isoimmunization, preventing (Hensleigh), 749 (Clinical opinion)
Ritodrine, does cause fever (Hankins and Leveno), 110 (Comm. in brief)
hydrochloride infusion in pregnant baboons. I. Biophysical effects (Hauth et al.), 916
infusion, acute, hyperlactacidemia associated with (Richards, Chang, and Stempel), 1
inhibition of hypoxic pulmonary vasoconstriction (Conover, Benumof, and Key), 652
tocolysis, complication of: myocardial ischemia (Michalak, Klein, and Marquette), 861 (Comm. in brief)
Rollover test, effective prevention of gestational hypertension in nulliparous women at high risk as identified by (Spinapolice, Feld, and Harrigan), 166
Round-table discussion of obstetric-gynecologic infections, 719-739
Runners' luteinizing hormone, follicle-stimulating hormone, prolactin, testosterone, and cortisol levels, female, immediate effect on: marathon (Hale et al.), 550
Rupture of membranes, use of obstetric perineal pads in collection of amniotic fluid in patients with (Golde), 710 (Comm. in brief)

S

Saline amnioinfusion for relief of variable or prolonged decelerations (Miyazaki and Taylor), 670
hypertonic, versus urea-prostaglandin for instillation abortion (Binkin et al.), 947
Saliva, estriol in, as index of fetoplacental function (Huang et al.), 336 (Comm. in brief)
Scalp abscess: benign and infrequent complication of fetal monitoring (Cordero, Anderson, and Zuspan), 126 (Clinical opinion)
Scanning, gallium, and determination of human chorionic gonadotropin, use of, to evaluate resorption of abdominal placenta (Rettenmaier et al.), 471 (Comm. in brief)
and transmission electron microscopic study of surfaces of intrauterine contraceptive devices (Marrie and Costerton), 384
Secretion, human chorionic gonadotropin, and growth of human choriocarcinoma cell lines in vitro, effect of methotrexate on (Sekiya et al.), 57
Septicemia, maternal, and recurrent chorioamnionitis: case of successful in utero therapy (Monif), 334 (Comm. in brief)
Serum α-fetoprotein, elevated maternal, associated with Potter's syndrome (Freling, Kawada, and Blake), 218 (Comm. in brief)
levels, elevated maternal, associated with breakdown in fetal-maternal-placental barrier (Berkeley, Killackey, and Cederqvist), 859 (Comm. in brief)
low maternal, clinical significance of (Davenport and Macri), 657
maternal, fetal sex–related differences in, during second trimester of pregnancy (Sowers, Reish, and Burton), 786
screening, maternal, in North Carolina: experience with more than twelve thousand pregnancies (Burton, Sowers, and Nelson), 439
human chorionic gonadotropin measurements and serial ultrasound, diagnosis of symmetrical growth retardation by, in bicornuate uterus: case report (Karow et al.), 339 (Comm. in brief)
prolactin-releasing activity, variation of, in women with galactorrhea-amenorrhea syndrome after bromocriptine treatment (Takahashi et al.), 74
Serum—Cont'd
unconjugated estriol concentrations before and after oxytocin challenge test: index of fetal well-being (London et al.), 630
Sex, fetal, –related differences in maternal serum α-fetoprotein during second trimester of pregnancy (Sowers, Reish, and Burton), 786
Skull, cloverleaf, antenatal sonographic findings of thanatophoric dysplasia with (Chervenak et al.), 984 (Comm. in brief)
Smoke, method for clearing, during laser surgery of vagina and cervix (Marsden, McDonald, and Cavanagh), 109 (Comm. in brief)
Smoking and alcohol intake, maternal, effects of, on neonatal electroencephalogram and anthropometric measurements (Chernick, Childiaeva, and Ioffe), 41
antepartum fetal heart rate variability and intervillous placental blood flow in association with (Rauramo et al.), 967
midtrimester fetal heart rate variability and maternal hemodynamics in association with (Forss et al.), 693
Socioeconomic group, upper, rapid onset of cervical cancer in (Bain and Crocker), 366
Sodium manipulation, dietary, and vascular responsiveness during pregnancy in rabbit (Lee et al.), 930
Sonographic findings, antenatal, of thanatophoric dysplasia with cloverleaf skull (Chervenak et al.), 984 (Comm. in brief)
Spermatozoa, human, attachment of *Escherichia coli* to (Friberg and Fullan), 465 (Comm. in brief)
Sphingomyelin, lecithin/, ratio and tests for disaturated phosphatidylcholine and phosphatidylglycerol, comparison with: absorbance of amniotic fluid at 650 nm as fetal lung maturity test (Tsai, Josephson, and Knox), 963
Squamous metaplasia of uterine cervix, degree of maturation of, and basal cell pseudopodia: morphometric quantification (Twiggs, Clark, and Okagaki), 69
Sterilization, tubal, deaths attributable to, in United States, 1977 to 1981 (Peterson et al.), 131
Steroid precursor, low-density lipoprotein–cholesterol and cholesterol synthesized de novo as: regulation of human fetal testicular secretion of testosterone (Carr et al.), 241
Stillbirth, role of grief support team following (Lake et al.), 877 (Clinical opinion)
Streptococcal infection, occult group B: important cause of intrauterine asphyxia (Peevy and Chalhub), 989 (Comm. in brief)
Streptococcus, type III group B, antibody to, in rhesus monkey (Larsen et al.), 958
Stroma, isolated glands and, relative distribution in: creatine kinase activity in human endometrium (Satyaswaroop and Mortel), 159
Sulfates, its three, ethinyl estradiol and, pharmacokinetics and metabolism of, in baboon (Newburger et al.), 80
Surgery, laser, of vagina and cervix, method for clearing smoke during (Marsden, McDonald, and Cavanagh), 109 (Comm. in brief)
Syndrome, amniotic band, in monozygotic twins (Fiedler and Phelan), 864 (Comm. in brief)
galactorrhea-amenorrhea, variation of serum prolactin-releasing activity in women with, after bromocriptine treatment (Takahashi et al.), 74
Marfan's, failure of serial echocardiographic studies to predict aortic dissection in pregnant patient with (Rosenblum et al.), 470 (Comm. in brief)
postpartum hemolytic uremic (Jones, Bowker, and Diblasi), 856 (Comm. in brief)
Potter's, elevated maternal serum α-fetoprotein associated with (Freling, Kawada, and Blake), 218 (Comm. in brief)
toxic shock, left ventricular dysfunction in patient with (Fitz, Weeks, and Duff), 467 (Comm. in brief)
review (Wager), 93 (Current developments)

T

Tachypnea, transient, of newborn: relationship to preterm delivery and significant neonatal morbidity (Gross et al.), 236
Tampons, vaginal ulcers caused by (Danielson), 547
Tent, displaced laminaria, ultrasonic localization of (Liang, Woo, and Tang), 988 (Comm. in brief)
Teratoma, immature, of ovary (Gallion et al.), 361
Test, fetal lung maturity, absorbance of amniotic fluid at 650 nm as: comparison with lecithin/sphingomyelin ratio and tests for disaturated phosphatidylcholine and phosphatidylglycerol (Tsai, Josephson, and Knox), 963
oxytocin challenge, serum unconjugated estriol concentrations before and after: index of fetal well-being (London et al.), 630

Test—Cont'd
rollover, effective prevention of gestational hypertension in nulliparous women at high risk as identified by (Spinapolice, Feld, and Harrigan), 166
Testicular secretion, human fetal, of testosterone, regulation of: low-density lipoprotein–cholesterol and cholesterol synthesized de novo as steroid precursor (Carr et al.), 241
Testosterone, cortisol, luteinizing hormone, follicle-stimulating hormone, and prolactin levels, female runners', immediate effect on: marathon (Hale et al.), 550
regulation of human fetal testicular secretion of: low-density lipoprotein–cholesterol and cholesterol synthesized de novo as steroid precursor (Carr et al.), 241
Thanatophoric dysplasia with cloverleaf skull, antenatal sonographic findings of (Chervenak et al.), 984 (Comm. in brief)
Thrombocytopenia, life-threatening, pregnancy-induced hypertension presenting with (Schwartz and Brenner), 756
pregnancy-related, correction of, with aspirin without improvement in fetal outcome (Goodlin), 862 (Comm. in brief)
Thrombosis, umbilical vein, at 32 weeks' gestation with delivery of living infant (Wolfman, Purohit, and Self), 468 (Comm. in brief)
Timolol, responses to, I. Maternal and fetal cardiovascular indices during fetal hypoxia due to cord compression in chronically cannulated sheep (Cottle, Van Petten, and van Muyden), 678
Tocolysis, ritodrine, complication of: myocardial ischemia (Michalak, Klein, and Marquette), 861 (Comm. in brief)
umbilical cord prolapse following external cephalic version with (Lehman), 983 (Comm. in brief)
Toxemia of pregnancy, clinical applications of altered iron kinetics of (Entman and Richardson), 568
with intrauterine growth retardation, elevated levels in: amniotic fluid human chorionic gonadotropin in late pregnancy (Heikinheimo and Seppälä), 766
Toxic shock syndrome, left ventricular dysfunction in patient with (Fitz, Weeks, and Duff), 467 (Comm. in brief)
review (Wager), 93 (Current developments)
Transactions, forty-ninth annual meeting, Pacific Coast Obstetrical and Gynecological Society, 477-556
fiftieth annual meeting, The Central Association of Obstetricians and Gynecologists, 233-322
Transcutaneous Po_2, fetal, and maternal oxygenation administration (Willcourt, King, and Queenan), 714 (Comm. in brief)
Transdermal estradiol administration, estrogen replacement therapy by (Laufer et al.), 533
Transient tachypnea of newborn: relationship to preterm delivery and significant neonatal morbidity (Gross et al.), 236
Transmission and scanning electron microscopic study of surfaces of intrauterine contraceptive devices (Marrie and Costerton), 384
Triiodothyronine receptors in human endometrium and myometrium, evidence for (Kirkland et al.), 380
Trophoblastic diseases, urinary nucleic acid breakdown products as markers for (Borek, Sharma, and Brewer), 906
Tubal ligation(s), laparoscopic, pharmacokinetics and pharmacodynamics of local analgesia for (Spielman et al.), 821
reversals, microsurgical, factors influencing outcome of (Seiler), 292
microsurgery with carbon dioxide laser (Fayez et al.), 371
sterilization, deaths attributable to, in United States, 1977 to 1981 (Peterson et al.), 131
Twin(s) gestation, rate of early intrauterine growth in (Iffy et al.), 970
monozygotic, amniotic band syndrome in (Fiedler and Phelan), 864 (Comm. in brief)

U

Ulcers, vaginal, caused by tampons (Danielson), 547
Ultrasonic localization of displaced laminaria tent (Liang, Woo, and Tang), 988 (Comm. in brief)
placental grading, failure of, to predict severe respiratory distress in neonate (Gast and Ott), 464 (Comm. in brief)
Ultrasonically measured umbilical vein diameters, utility of, in isoimmunized pregnancies (Witter and Graham), 225 (Comm. in brief)
Ultrasonography, early diagnosis by: interstitial pregnancy (Auslender et al.), 717 (Comm. in brief)
Ultrasound, real-time–directed M-mode, diagnosis of cardiac arrhythmias using, III. Fetal echocardiography (DeVore, Siassi, and Platt), 792
Ultrasound—Cont'd
screening, general, in pregnancy, long-term experience of (Persson and Kullander), 942
serial, and serum human chorionic gonadotropin measurements, diagnosis of symmetrical growth retardation by, in bicornuate uterus: case report (Karow et al.), 339 (Comm. in brief)
β-subunit of human chorionic gonadotropin, and ectopic pregnancy: prospective study (Bryson), 163
landmarks during first forty-two days of gestation demonstrated by (Batzer et al.), 973
use of, in expectant management of abruptio placentae (Rivera-Alsina et al.), 924
Umbilical cord, nature of structural defects associated with velamentous and marginal insertion of (Robinson, Jones, and Benirschke), 191
prolapse following external cephalic version with tocolysis (Lehman), 983 (Comm. in brief)
vein diameters, ultrasonically measured, utility of, in isoimmunized pregnancies (Witter and Graham), 225 (Comm. in brief)
thrombosis at 32 weeks' gestation with delivery of living infant (Wolfman, Purohit, and Self), 468 (Comm. in brief)
United States, deaths attributable to tubal sterilization in, 1977 to 1981 (Peterson et al.), 131
obstetrics and gynecology programs in 1981, survey of men and women residents entering (Margolis, Greenwood, and Heilbron), 541
Urea-prostaglandin versus hypertonic saline for instillation abortion (Binkin et al.), 947
Uremic syndrome, postpartum hemolytic (Jones, Bowker, and Diblasi), 856 (Comm. in brief)
Urethral pressure, unstable, prevalence and pattern of, in one hundred seventy-four gynecologic patients referred for urodynamic investigation (Kulseng-Hanssen), 895
Urethrovesical pressure dynamics, effect of uterovaginal prolapse on (Richardson, Bent, and Ostergard), 901
Urinary nucleic acid breakdown products as markers for trophoblastic diseases (Borek, Sharma, and Brewer), 906
and plasma catecholamines during human ovulatory cycle (Goldstein, Levinson, and Keiser), 824
Urodynamic investigation, prevalence and pattern of unstable urethral pressure in one hundred seventy-four gynecologic patients referred for urodynamic investigation (Kulseng-Hanssen), 895
Uterine cervix, degree of maturation of squamous metaplasia of, and basal cell pseudopodia: morphometric quantification (Twiggs, Clark, and Okagaki), 69
prognostic factors in early invasive carcinoma of (Larsson et al.), 145
statement of caution in interpretation of papillomavirus-associated lesions of epithelium of, 125 (Guest editorial)
dilatation and curettage, when is also indicated: cervical conization (Helmkamp et al.), 893
tone, ketamine, and catecholamines in pregnant ewes (Craft et al.), 429
Uteroplacental blood flow and cardiac output in diet-restricted and diet-repleted pregnant rats (Ahokas, Anderson, and Lipshitz), 6
Uterovaginal prolapse, effect of, on urethrovesical pressure dynamics (Richardson, Bent, and Ostergard), 901
Uterus, bicornuate, diagnosis of symmetrical growth retardation by serial ultrasound and serum human chorionic gonadotropin measurements in: case report (Karow et al.), 339 (Comm. in brief)

V

Vagina and cervix, method for clearing smoke during laser surgery of (Marsden, McDonald, and Cavanagh), 109 (Comm. in brief)
Vaginal aplasia: therapeutic options (Smith), 488
and cervical epithelium, maturation of, in women exposed in utero to diethylstilbestrol (DESAD Project) (Noller et al.), 279
delivery following previous cesarean birth (Martin et al.), 255
versus cesarean section for breech fetus weighing less than 1,500 grams (Main, Main, and Maurer), 580
examination, risk of, to infant: management of premature rupture of membranes (Schutte et al.), 395
hysterectomy, selective use of, in management of adenocarcinoma of endometrium (Peters et al.), 285
15-methyl prostaglandin $F_{2\alpha}$, internal and external cervical os dilatation with (Fayemi et al.), 219 (Comm. in brief)
ulcers caused by tampons (Danielson), 547

Variability, antepartum fetal heart rate, and intervillous placental blood flow in association with smoking (Rauramo et al.), 967
fetal heart rate, and autonomic nervous system (Dalton, Dawes, and Patrick), 456
midtrimester fetal heart rate, and maternal hemodynamics in association with smoking (Forss et al.), 693
Variable or prolonged decelerations, saline amnioinfusion for relief of (Miyazaki and Taylor), 670
Vascular responsiveness, dietary sodium manipulation and, during pregnancy in rabbit (Lee et al.), 930
Vasoconstriction, hypoxic pulmonary, ritodrine inhibition of (Conover, Benumof, and Key), 652
Vasopressin is important for restoring cardiovascular homeostasis in fetal lambs subjected to hemorrhage (Kelly et al.), 807
Vein diameters, ultrasonically measured umbilical, utility of, in isoimmunized pregnancies (Witter and Graham), 225 (Comm. in brief)
thrombosis, umbilical, at 32 weeks' gestation with delivery of living infant (Wolfman, Purohit, and Self), 468 (Comm. in brief)
Velamentous and marginal insertion of umbilical cord, nature of structural defects associated with (Robinson, Jones, and Benirschke), 191
Venous blood, maternal, and amniotic fluid, human, disposition of ethanol in (Brien et al.), 181
Ventricular dysfunction, left, in patient with toxic shock syndrome (Fitz, Weeks, and Duff), 467 (Comm. in brief)
function, left, in preeclamptic patients: echocardiographic study (Kuźniar, Piela, and Skręt), 400
Version, external cephalic, with tocolysis, umbilical cord prolapse following (Lehman), 983 (Comm. in brief)
Villi, chorionic, of molar pregnancy, distribution of major histocompatibility (HLA) antigens in (Berkowitz et al.), 221 (Comm. in brief)
Vitamin B_{12}–binding proteins in human amniotic fluid: index to fetal maturity (Grossowicz, Jablonska, and Beyth), 331 (Comm. in brief)
Vulvar edema, postpartum, associated with birthing chair (Goodlin and Frederick), 334 (Comm. in brief)

W

Weight, body, androgen parameters and their correlation with, in one hundred thirty-eight women thought to have hyperandrogenism (Wild et al.), 602

Y

Young adult and adolescent women, birth weights among infants born to (Horon, Strobino, and MacDonald), 444